Milk River		Plan	
Department: Transportation H.S.S.E.		Next Review: 2024-Sept	
Document Title: Milk River Pipeline Emergency Response Plan		Revision Date	e: 2023-Dec
Document Number: BR-RM-PLN-0019	Doc. Status: Active	Rev: 6	Page 1 of 183

Milk River Pipeline Emergency Response Plan

24 Hour Emergency Control Centre number: REDACTED

Calgary Office: REDACTED

	Manual #:
Issued to (location):	
Issued to (person):	

i



This page intentionally left blank.






Table of Contents

1.0	Pipelii	ne information	. 1-1
1.1	War	rning/Alarm/Shutdown Systems	1-1
1.2	Faci	lities	1-1
1.3	Stat	ions & Valve sites – GPS & ATS Legal locations	1-1
2.0	Admir	nistration	. 2-1
2.1	Pur	pose	2-1
2.2	Sco	pe	2-1
2.3	Dist	ribution of this Plan	2-1
2.4	Plan	Administration	2-1
3.0	Incide	ent Management System	. 3-1
3.1	Ove	rview	3-1
3.2	Spai	n of Control	3-2
3.3	Stru	cture Continuity	3-2
3.4	Key	Characteristics	3-2
4.0	Roles	and Responsibilities	. 4-1
4.1	Role	e identification within the ICP	4-1
4.2	Incid	dent Commander	4-1
4.3	Con	nmand Staff	4-2
4.	3.1	Information Officer	4-2
4.	3.2	Safety Officer	4-2
4.	3.3	Liaison Officer	4-3
4.	3.4	Legal Officer	4-3
4.4	Ope	erations Section Chief	4-3
4.	4.1	Public Safety Group Supervisor	4-3
4.	4.2	Staging Area Supervisor	4-4
4.	4.3	Roadblock Leader	4-4
4.	4.4	Rovers	4-4
4.	4.5	Air Monitor Unit	4-4
4.5	Plar	nning Section Chief	4-4



Pipeline BR-RM-PLN-0019 Rev. 6

<i>1</i> 1	5.1	Scribe	Milk River Pipeline Ltd. ERP
4.6		istics Section Chief	
4.7	Ū	ance/Administration Section Chief	
4.7		Staff	
		ation of Emergency Coordination Center	
5.1		vation	
5.2		dent Notification	
	2.1	Executive notification	
	2.1	Internal	
	2.2	External	
	2.4	Contacting key stakeholders	
	2.5	Members of the public	
	2.6	Members of the media	
	2.7	Next of Kin Notifications	
	2.8	Crisis Communications Plan	
5.3		ual Tools	
5.4		dent Command Post Set-up	
5.5		dent Action Planning	
5.6		lerstand Current Situation	
5.7	Cor	duct the Planning Meeting	5-6
5.7	7.1	Give briefing on situation, resource status and incident potential	5-7
5.7	7.2	Set/Review established objectives	5-7
5.7	7.3	Establish Organizational Structure	5-7
5.7	7.4	Identify Tactics	5-7
5.7	7.5	Identify Resources	5-7
5.7	7.6	Identify Operations Facilities and Reporting Locations	5-7
5.7	7.7	Develop Resource Order	5-8
5.7	7.8	Consider Communications, Medical and Traffic Plan Requirements	5-8
5.7	7.9	Finalize, Approve, and Implement IAP	5-9
5.8	Ope	erational Periods	5-10



Pipeline BR-RM-PLN-0019 Rev. 6 Milk River Pipeline Ltd. ERP Situation Reports (Sit Reps) 5-10

	5.9	Situa	ation Reports (Sit Reps)	5-10
	5.10	Doc	umentation	5-11
	5.11	Dem	nobilization of Resources	5-11
	5.12	Esca	alation/De-escalation of Incident	5-11
	5.13	Dea	ctivation	5-12
3.	0 E	Ξmerç	gency Response	6-1
	6.1	Initia	al Response	6-3
	6.1.	.1	Initial Assessment	6-4
	6.1.	.2	Communicate the situation	6-4
	6.1.	.3	Stop nearby work	6-5
	6.1.	.4	Evacuate others	6-5
	6.1.	.5	Stay clear, observe & report	6-5
	6.1.	.6	Assist Emergency Responders.	6-6
	6.1.	.7	Initiate response actions	6-6
	6.1.	.8	Complete incident report	6-7
	6.2	Dete	ermining the Emergency Level	6-7
	6.2.	.1	Step 1 – Rate the Consequence of the Incident	6-7
	6.2.	.2	Step 2 – Rate the Likelihood of the Incident Escalating	6-8
	6.2.	.3	Step 3 – Calculating Risk Level	6-9
	6.3	Injui	ry Response	6-11
	6.3.	.1	Survey for Hazards	6-11
	6.3.	.2	Take Initial Precautions	6-11
	6.3.	.3	Isolate Hazards	6-11
	6.3.	.4	Remove Victim(s) from Hazards	6-12
	6.3.	.5	Assess Victim's condition	6-12
	6.3.	.6	Summon Medical Aid	6-12
	6.3.	.7	Initiate First Aid	6-13
	6.3.	.8	Secure the Incident Scene	6-13
	6.3.	.9	Notification of Next-of-Kin	6-13
	6.4	Fire	Response	6-16



BR-RM-PLN-0019 Rev. 6

Milk River Pipeline Ltd. ERP Assess Scale and Nature of fire6-17 6.4.1 6.4.2 Summon fire fighters6-17 6.4.3 Isolate involved equipment6-17 6.4.4 Protect nearby assets6-17 6.4.5 Equip and protect responders6-18 6.4.6 Extinguish the fire6-18 6.4.7 Assist External fire fighters6-19 6.4.8 Initiate Fire Watch......6-19 6.4.9 Secure Incident Scene6-20 6.5 Spill/Release Response6-21 Characterize the release6-22 6.5.1 6.5.2 Shut off source6-22 6.5.3 Evacuate endangered area6-23 6.5.4 Notify local authorities......6-23 6.5.5 Remove ignition sources6-23 6.5.6 Obtain response materials & equipment......6-23 6.5.7 Summon external resources6-23 6.5.8 Contain the release6-24 6.5.9 Clean up debris & contamination6-24 6.5.10 Secure the spill source6-25 6.6 Public Safety Responses6-25 6.6.1 Isolation Perimeter and Response Area.....6-25 6.6.2 Hot, Warm and Cold zones6-26 6.6.3 Roadblocks 6-26 6.6.4 Shelter-In-Place and Evacuation6-27 6.6.5 Reception Centre6-28 6.6.6 Ignition of Hazardous substances6-29 6.7 Security responses6-29 6.7.1 Security Procedures – See Section 12......6-29 6.8 Other responses 6-29



Pipeline BR-RM-PLN-0019 Rev. 6 Milk River Pipeline Ltd. ERP

	6.8.2	L	Equipment or Structural Failure	.6-29
	6.8.2	2	Floods	.6-29
	6.8.3	3	Forest or Wildfire	.6-30
	6.8.4	1	Missing Persons	.6-34
	6.8.5	5	Pipeline contact	.6-35
	6.8.6	5	Power Line contact	.6-36
	6.8.7	7	Severe Weather	.6-36
	6.8.8	3	Vehicle Collision	.6-36
6.	9	Emer	rgency Facilities	.6-37
	6.9.2	l	Emergency Coordination Centres	.6-37
	6.9.2	2	Satellite ECC	.6-38
	6.9.3	3	Incident Command Posts	.6-38
	6.9.4	1	Staging Areas	.6-40
	6.9.5	5	Decontamination Area	.6-40
	6.9.6	5	Other agencies	.6-41
7.0	Е	merg	ency Resources	7-1
7.	1	Milk	River Pipeline	7-1
	7.1.2	l	Business Support Team	7-1
	7.1.2	2	Crisis Management Team	7-1
	7.1.3	3	Incident Management Teams	7-1
	7.1.4	1	Field Initial Response and Support Team	7-1
7.	2	West	tern Canadian Spill Services (WCSS)	7-1
7.	3	Othe	r Personnel/Equipment	7-2
8.0	С	heckl	lists and Position Aids	8-1
8.	1	Incid	ent Commander	8-1
8.	2	Safet	y Officer	8-3
8.	3	Liaiso	on Officer	8-5
8.	4	Publi	c Information Officer	8-7
8.	5	Oper	rations Section Chief	8-9
8.	6	Planr	ning Section Chief	.8-11



BR-RM-PLN-0019 Re	ev.	6
Milk Pivor Pipolipo Itd	ED	С

8.6.	1 Scribe	8-13
8.7	Logistics Section Chief	8-15
8.8	Finance/Administration Section Chief	8-17
8.9	Staging Area Manager	8-19
8.10	Public Safety Group Supervisor	8-21
8.11	Reception Centre Supervisor	8-23
8.11	1.1 Reception Centre	8-24
8.12	Telephoners	8-25
8.13	Road Block Unit Leader	8-27
8.14	Rovers	8-31
8.15	Air Monitor Group Supervisor	8-33
8.15	5.1 Air Monitoring Equipment	8-34
8.16	Ignition Unit Leader	8-35
8.17	Activation Checklist	8-37
8.18	Demobilization Checklist	8-37
0.10	Demodifization encourist	37
	Contacts	
		9-1
9.0 C	Contacts	9-1 9-1
9.0 C	Contacts BST/CMT/IMT/FIRST	9-1 9-1 9-1
9.0 C 9.1 9.2	District Offices	9-1 9-1 9-1
9.0 C 9.1 9.2 9.3	BST/CMT/IMT/FIRST District Offices Business Continuity/Emergency Management Advisors	9-19-19-19-1
9.0 C 9.1 9.2 9.3 9.4	District Offices Business Continuity/Emergency Management Advisors Security Advisor	9-19-19-19-19-1
9.0 C 9.1 9.2 9.3 9.4 9.5	BST/CMT/IMT/FIRST District Offices Business Continuity/Emergency Management Advisors Security Advisor Environmental Specialists	9-19-19-19-19-1
9.0 C 9.1 9.2 9.3 9.4 9.5 9.6	BST/CMT/IMT/FIRST District Offices Business Continuity/Emergency Management Advisors Security Advisor Environmental Specialists Health and Safety Specialists	9-19-19-19-19-19-1
9.0 C 9.1 9.2 9.3 9.4 9.5 9.6 9.7	BST/CMT/IMT/FIRST District Offices Business Continuity/Emergency Management Advisors Security Advisor Environmental Specialists Health and Safety Specialists Taber (Milk River Pipeline) – Staff and Office Phone List	9-19-19-19-19-19-19-1
9.0 C 9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8	BST/CMT/IMT/FIRST District Offices Business Continuity/Emergency Management Advisors Security Advisor Environmental Specialists Health and Safety Specialists Taber (Milk River Pipeline) – Staff and Office Phone List Pipeline/Facility Management – Staff an Office Phone Numbers	9-19-19-19-19-19-19-19-1
9.0 C 9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.9	BST/CMT/IMT/FIRST District Offices Business Continuity/Emergency Management Advisors Security Advisor Environmental Specialists Health and Safety Specialists Taber (Milk River Pipeline) – Staff and Office Phone List Pipeline/Facility Management – Staff an Office Phone Numbers Federal Government Contacts	9-19-19-19-19-19-19-19-19-19-1
9.0 C 9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.9 9.10	BST/CMT/IMT/FIRST District Offices Business Continuity/Emergency Management Advisors Security Advisor Environmental Specialists Health and Safety Specialists Taber (Milk River Pipeline) – Staff and Office Phone List Pipeline/Facility Management – Staff an Office Phone Numbers Federal Government Contacts Alberta Government Contacts Municipal Contacts	9-19-19-19-19-19-19-19-19-19-19-1
9.0 C 9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.9 9.10 9.11	BST/CMT/IMT/FIRST District Offices Business Continuity/Emergency Management Advisors Security Advisor Environmental Specialists Health and Safety Specialists Taber (Milk River Pipeline) – Staff and Office Phone List Pipeline/Facility Management – Staff an Office Phone Numbers Federal Government Contacts Alberta Government Contacts Municipal Contacts	9-19-19-19-19-19-19-19-19-19-19-19-1




BR-RM-PLN-0019 Rev. 6

9.14	Alberta Irrigation Projects Association (AIPA)	9-3
9.15	Key Numbers	9-3
9.16	Contractors and Consultants	9-3
9.17	Trucking companies unloading at Milk River	9-3
9.18	Key Contractors	9-3
9.19	Response Equipment	9-3
9.20	Manpower and General Equipment	9-3
9.21	Public Utilities	9-4
9.22	Shipper/Producer contacts	9-4
9.23	External Company Contacts 24 Hour Emergency	9-4
10.0	Mutual aid	10-1
10.1	Milk River Pipeline Ltd.	10-1
10.2	Industry Mutual Emergency Assistance Agreement	10-1
10.3	Western Canadian Spill Services (WCSS)	10-1
11.0	Forms	11-1
11.1	ICS 214 - Activity Log	11-1
11.2	ICS 201 – Incident briefing	11-3
11.3	ICS 209 – Incident Status Summary	11-7
11.4	ICS 211 - Incident Check in	11-11
11.5	ICS 215 Operational Planning Worksheet	11-13
11.6	ICS 215a Incident Action Plan Safety Analysis	11-15
11.7	Initial Response Form	11-17
11.8	Monitoring Record	11-21
11.9	Resident Data Record	11-23
11.10	O Roadblock Record	11-25
11.1	1 Reception Centre Registration Form	11-27
11.1	2 Resident Compensation Form	11-29
11.13	3 Threatening Telephone Call Log	11-31
11.1	4 Site Safety Plan	11-32
11.1	5 Evacuation Data sheet	11-44



BR-RM-PLN-0019 Rev. 6
Milk River Pipeline Ltd. ERP

Personnel and Equipment Log11-46	11.16
nternal Vehicle Accident Report	11.17
Revision Request	11.18
Evacuation Notice	11.19
Evacuation Phone Message11-54	11.20
Early Notification/Voluntary Evacuation Message11-56	11.21
Shelter in-place phone message	11.22
curity Procedures	2.0 S
Minimal Threat Security Level Error! Bookmark not defined.	12.1
Low Threat Security Level Error! Bookmark not defined.	12.2
Medium Threat Security Level Error! Bookmark not defined.	12.3
High Threat Security Level Error! Bookmark not defined.	12.4
mminent Threat Security Level Error! Bookmark not defined.	12.5
Suspicious /Unknown Persons/Trespassing Error! Bookmark not defined.	12.6
Threats, Criminal Harassment and Workplace Violence Error! Bookmark not defined.	12.7
Suspicious Packages/Letters Error! Bookmark not defined.	12.8
Active Assailant/Terrorism: Error! Bookmark not defined.	12.9
Bomb Threat Error! Bookmark not defined.	12.10
Civil Disturbance or Protest Error! Bookmark not defined.	12.11
Vehicular Attack Error! Bookmark not defined.	12.12
Cyber Security Incident Error! Bookmark not defined.	12.13
aps13-1	3.0 N
Milk River Terminal Map13-1	13.1
System Map (Active lines)13-1	13.2
System Map (Comprehensive)13-1	13.3
Route Maps13-1	13.4
Western Canadian Spill Services (WCSS) Co-op Maps13-1	13.5
iving directions/facility access descriptions	4.0 C
ontrol Points	15.0 C
cal Government Response	6.0 L





16.1 County of Warner Error! Bookmark not defi	ned.
16.1.1 Before the Event Error! Bookmark not defi	ned.
16.1.2 Upon the Notification of and during an Event Error! Bookmark not defi	ned.
16.1.3 After the Event Error! Bookmark not defi	ned.
16.1.4 Emergency Services (as managed /operated by the Local Authority) Error! Bookmark	(not
defined.	
16.1.5 Resources Error! Bookmark not defi	ned.
16.2 Government consultation summary Error! Bookmark not defi	ned.
16.3 AHS Oil and Gas Roles and Responsibilities	16-1
7.0 Environmental Emergencies Plans	17-1



This page left intentionally blank



1.0 PIPELINE INFORMATION

REDACTED

1.1 Warning/Alarm/Shutdown Systems

Milk River Pipeline manages the pipeline remotely using a Supervisory Control and Data Acquisition (SCADA) system for pipeline control at the Sherwood Park Control Centre. Pipeline control uses remote sensors and transmitters installed at our sites to monitor pipeline properties such as the temperature, pressure and flow rates for the pipeline through the SCADA system. The SCADA system has a built-in alarm for these parameters to provide an alarm for Control Centre Operator response and possible emergency shut-down. Pipeline control monitors the performance of the pipeline 24 hours a day and has the ability to remotely close certain valves, if necessary, or to send a field technician on a call-out to troubleshoot pipeline concerns.

The Control Centre Operator shuts down the line, when an alarm is received. The leak detection system (LDS) also receives data from the SCADA system. The LDS provides continuous leak detection that will trigger alarms on the detection of a leak.

1.2 Facilities

REDACTED

1.3 Stations & Valve sites – GPS & ATS Legal locations

REDACTED



2.0 ADMINISTRATION

2.1 Purpose

This plan is intended to act as a guide for operations staff on how to safely manage emergency situations through effective identification, assessment, response, notification, and documentation of events, in a flexible and effective manner. It will be used to promote worker and public safety, prevent, or minimize impact on the environment, reduce corporate loss, and provide notification to the proper authorities and Milk River Pipeline personnel.

2.2 Scope

This emergency response plan describes the organization, strategies and procedures required to address emergency situations affecting Milk River Pipeline Ltd. employees, workers, operations, properties, customers, the public and the environment. It is intended to work in conjunction with the Business Continuity and Emergency Management Planning and Response Standard to reduce the overall probability and magnitude of losses and impacts related to emergencies. This plan is not intended to replace current reporting or operating procedures for incidents of a non-emergency nature.

The types of emergencies addressed by this Emergency Response Plan (ERP) include, but are not limited to:

- Injuries and medical emergencies
- Fires
- Natural Disasters (flooding and wildfires)
- Spills and releases
- Vehicle collisions
- Criminal or terrorist activity


2.3 Distribution of this Plan

Distribution record is located at REDACTED

2.4 Plan Administration

This Emergency Response Plan (ERP) shall be reviewed and updated annually or sooner if needed, to reflect changes in government regulations and/or company procedures, update contact lists and to continually improve emergency management capabilities. The most up-to-date copy of the ERP is found electronically within **REDACTED**

Proposed changes, revisions or modifications to the ERP should be submitted to the Emergency Response Specialist or local Administrative Assistant, using the Revision Request Form in Section 11 of this plan. Changes to the content of the plan, other





than phone numbers and editorial corrections, must undergo the Management of Change process.

The area's Administrative Assistant shall send revisions of the ERP to holders of numbered copies of the plans, as identified by a distribution list maintained for each plan. Any changes in plan holders or any lost or misplaced plans should be identified to the Administrative Assistant to allow the distribution list to be updated accordingly. The ERPs are distributed to Supervisors, Technicians, selected corporate staff and other personnel as appropriate. Copies are also distributed to the Emergency Coordination Centre (ECC), Control Room and other locations as required.

Holders of numbered copies of the ERPs are responsible for immediately inserting revisions and updating the plan when revisions are received.

The contents of the entire ERP shall be re-issued periodically, as determined by the Transportation Emergency Response Specialist department to ensure that all plans are complete and current.



3.0 INCIDENT MANAGEMENT SYSTEM

3.1 Overview

Milk River Pipeline Ltd has adopted the Incident Command System (ICS) as its incident management system therefore; this plan is based on the Incident Command System (ICS). There are five major management functions that are the foundation upon which the ICS organization develops. The basic organizational structure is shown below:


ICS Structure



These functions apply whether you are handling a routine response, organizing for a major non-emergency event, or managing a response to a major incident or emergency. The five major management functions are Command (Incident Commander and Command Staff), Operations, Planning, Logistics and Finance/Administration:

- **Incident Command:** Sets the incident objectives, strategies, and priorities and has overall responsibility for the incident.
- **Operations:** Conducts operations to reach the incident objectives. Establishes the strategies and tactics and directs all operational resources.
- **Planning:** Supports the incident action planning process by tracking resources, collecting/analyzing information, and maintaining documentation.
- **Logistics**: Provides resources and needed services to support the achievement of the incident objectives.
- **Finance/Administration:** Monitors costs related to the incident and provides accounting, procurement, time recording, and cost analyses.

Command staff, consisting of Information Officer, Safety Officer, Liaison Officer and Legal Counsel may be activated to support site command.





It is important to remember that not all positions need to be staffed during a response; however as per the tenants of ICS, if a role is not filled the duties fall to the Incident Commander.

3.2 Span of Control

Span of Control refers to the number of reports a position has. This number should not exceed seven and is ideally not more than 5. If more than seven direct reports exist, then a supervisory level must be created to reduce the number.

3.3 Structure Continuity

The ICS structure shall be applied at site and within the Emergency Coordination Centre (ECC), with the difference being that overall site coordination and responsibility lies with the Incident Commander at the Incident Command Post (ICP), whereas this position is called the Emergency Director within an Emergency Coordination Centre (ECC).

The Incident Command Post (ICP) is the focal point where decisions are made and communications are sent out, it must be easily identifiable.

3.4 Key Characteristics

The following are key characteristics of ICS:

- Adapts to any size event
- Provides for single-jurisdiction/single-agency as well as multi-jurisdictional/multiagency operational interaction
- Expands in a logical manner from an initial response into a major incident with basic common elements in organization, terminology and procedures
- When implemented, has the least possible disruptions to existing systems



4.0 ROLES AND RESPONSIBILITIES

4.1 Role identification within the ICP

It is important to remember that the Incident Commander assumes all roles until they are delegated to others. The same person can hold multiple roles depending on their ability and the complexity of the event. Not all positions listed below need to be staffed, only those required by the Incident Commander.

Table 1 Assigned Roles

Emergency Level	Operations Chief	Incident Commander	Emergency Director
Alert	Handled entirely at the field or plant level.		
1	Operations Supervisor		Position not activated
2	Operations Supervisor		GM of Field
3	Operations Supervisor		Operations or Operations Manager

Note: Refer to Section 6.2 for more information on emergency levels.

Refer to Section 8 for Role Checklists

The Emergency Director listed in the above figure is the lead at an Emergency Coordination Centre.


4.2 Incident Commander

Usually, the person in charge of the first arriving units at the scene of an incident assumes the Incident Commander role. That person will remain in charge until command is transferred.

Upon arriving at an incident, a higher-ranking person will either; assume command, maintain command as is, or transfer command to another person.

As incidents expand or contract, change in jurisdiction or discipline, or become more or less complex, command may change to meet the needs of the incident. The Incident Commander has overall responsibility for managing the incident by objectives, developing strategies, and implementing tactics. The Incident Commander is the only position that is always staffed in ICS. On small incidents and events, one person, the Incident Commander, may accomplish all management functions. In addition to having overall responsibility for managing the entire incident, the Incident Commander is specifically responsible for:

- Ensuring personnel and public safety
- All activities and functions until delegated and assigned to staff
- Initial determination of emergency level
- Assessing the need for additional staff





- Establishing incident objectives
- Directing staff to develop the Incident Action Plan
- Review/prepare <u>ICS form 201</u>
- Assessing effectiveness of tactics

4.3 Command Staff

Depending upon the size and type of incident or event, it may be necessary for the Incident Commander to designate personnel to provide information, safety, and liaison services for the entire ICS organization. These personnel make up the Command Staff, who report directly to the Incident Commander, and consist of:

4.3.1 Information Officer

The Information Officer serves to facilitate exchange of information between the Corporate Communications staff and the media, public and internal staff. The Information Officer would, develop news releases, monitor media, provide information to internal and external stakeholders and coordinate/conduct media briefings if necessary. If an Information Officer is not on-site, media or others wishing information would be advised that all requests are to go through the Information Officer located in an ECC.

4.3.2 Safety Officer

The Safety Officer monitors safety conditions, assesses hazardous and unsafe situations, and develops measures for the safety of all assigned personnel. The Safety Officer advises the Incident Commander on issues regarding incident safety, however, may exercise emergency authority to directly stop unsafe acts if personnel are in imminent danger. The Safety Officer works closely with the Operations Section to ensure the safety of tactical and support personnel. Only one Safety Officer will be named to an incident. The Safety Officer may have assistants as necessary, and the assistants may represent other agencies or jurisdictions.



4.3.3 Liaison Officer

The Liaison Officer serves as the primary contact for supporting or cooperating agencies assisting at an incident. The Liaison Officer assists the Incident Commander by serving as a point of contact for agency representatives who are helping to support the operation. The Liaison Officer provides briefings to and answers questions from the supporting agency representatives. There is only one Liaison Officer on any incident, although very large incidents may require the use of assistants. All contact with Government Agencies, Municipalities or First Nations is done via the Liaison Officer.

4.3.4 Legal Officer

Legal counsel serves as the primary contact and advisor for matters of a legal nature. Legal counsel will be involved in areas such as providing input/comment on information release, document review and providing legal advice opinion on the event.

4.4 Operations Section Chief

The Operations Section Chief develops and manages the Operations Section to accomplish the incident objectives set by the Incident Commander, and often facilitated by the Planning Section. The Operations Chief executes the Incident Action Plan (IAP). The Operations Section Chief is the person with the greatest technical and tactical expertise in dealing with the problem at hand. The Operations Section Chief organizes, assigns and supervises the tactical field resources. This position reports to the Incident Commander.

4.4.1 Public Safety Group Supervisor

The Public Safety Group Supervisor reports to the Operations Section Chief and is charged with coordinating the shelter or evacuation of people in the Emergency Planning Zone (EPZ) in conjunction with local authorities.

4.4.1.1 Reception Centre Supervisor

If an EPZ evacuation is declared, the responsibilities of the Reception Centre Supervisor are to receive/record evacuated resident information as well as assist with the needs of the evacuated residents for food and shelter along with distributing and collecting compensation information. Refer to Section 11 (11.8 Reception Centre Registration Form and 11.9 Resident Compensation Form)



4.4.1.2 Telephone Leader

The duties of this position are to assist the Public Safety Supervisor when a notification message has been sent out to residents. Items of note are attempting to contact residents who have not verified receipt of initial notification call and continuously monitoring resident status. Refer to Section 11 (11.12 Evacuation Data Sheet).

4.4.2 Staging Area Supervisor

This position reports to the Operations Chief. Duties of this position include:

- Designating a staging area, directing resources to staging area,
- Tracking who/what is at staging area
- Managing incoming resources;
- Assign staff to positions as directed by the Operations Section Chief or Incident Commander

4.4.3 Roadblock Leader

The Roadblock leader is tasked with securing the perimeter of the incident area through road warnings/barricades and monitoring, as well as controlling/recording activities as per instructions Refer to <u>Section 11</u> (Form <u>11.7 Roadblock Record</u>), Roadblock form to record who approaches/passes roadblock).

4.4.4 Rovers

The primary duties of Rovers are to assist with resident information dissemination and evacuation and report this information back to the Pubic Safety Group Supervisor. Refer to Section 11 (11.6 Resident Data Record).


4.4.5 Air Monitor Unit

The primary duties of the Air Monitor Unit Leader is to deploy air monitors to identified locations to test and record the quality of the air. They report information obtained from portable monitoring equipment back to the Public Safety Group Supervisor. Refer to Section 11 Forms (11.5 Monitoring record).

4.5 Planning Section Chief

The Planning Section Chief gathers, analyzes and disseminates information and intelligence, manages the planning process, compiles the Incident Action Plan and manages technical specialists. It is up to the Planning Section Chief to activate any needed additional staffing to complete the tasks. This position reports to the Incident Commander.

The major activities of the Planning Section include:





- Collecting, evaluating, and displaying incident intelligence and information.
- Preparing and documenting Incident Action Plans.
- Conducting long-range and/or contingency planning.
- Developing plans for demobilization.
- Maintaining incident documentation.
- Tracking resources assigned to the incident.

One of the most important functions of the Planning Section is to look beyond the current and next operational period and anticipate potential problems or events

4.5.1 Scribe

The role of the scribe is to capture notes reflecting what is being said/going on in the ICP and is a function of the Documentation Unit reporting to the Planning Section Chief. They will assist in maintaining the master event log and provide copies of reports to appropriate parties.

4.6 Logistics Section Chief

The Logistic Section Chief is responsible to provide resources and services that support incident activities, develop the logistic portions of the Incident Action Plan and forward to the Planning Section, and contract for and purchase goods and services needed at the incident. It is up to the Logistics Section Chief to activate additional staffing to complete the tasks. This position reports to the Incident Commander.

4.7 Finance/Administration Section Chief

The Finance/Administration Section is set up for an incident that requires incidentspecific financial management. Reporting to the Incident Commander, this section is responsible for:

- Contract negotiation and monitoring
- Timekeeping, both personnel and equipment
- Cost analysis
- Compensation for injury or damage to property

4.8 All Staff

All Employees should be familiar with where to find this and other ERPs. Depending on the type, duration and timing of emergencies any employee may be needed to fill certain roles.



This page intentionally left blank



5.0 ACTIVATION OF EMERGENCY COORDINATION CENTER

If the first arriving personnel determine that the incident is, or could potentially be beyond their level of control, an Incident Command Post (ICP) is established.

An Emergency Coordination Centre could be established to support field operations, assist with resources, to handle media inquiries, next-of-kin notifications, and to ensure strategic planning is carried out for level 2 or 3 incidents. Beyond this there are various levels of Municipal, Provincial, and potentially Federal organizations that may be activated. Milk River Pipeline Ltd. must integrate with these agencies and coordination of efforts must be established.

5.1 Activation

This ERP can be activated by any operational staff.

Once the Emergency Level has been determined (<u>Section 6.2</u>), refer to Table 7 Incident Notifications for notifications required.

Initial notifications include those to internal staff, with those to government, local authorities and public being carried out in the escalation/notification phase.

Communications can be done from site, district office, or the Business Support Team can be activated to provide assistance.

Communication among personnel involved in the emergency may be through cell phone, handheld radios, email, land lines or satellite phones.

5.2 Incident Notification

Once the emergency Level has been determined, an Incident notification must be conducted to alert the Business Support Team.


The Business Support Team is activated for an incident of Emergency Level 2 or 3 or should the Incident Commander determine that the particular situation warrants activation.

Once the Emergency Level has been determined, the Incident Commander shall be one of the Pipeline Operations Supervisors or as shown in <u>Section 4</u> – Table 1.

They will determine if an ECC needs to be activated, based on the incident.

5.2.1 Executive notification

Notification that an ECC has been activated, which would be done during Level 2 or 3 emergencies, should be done to the Chief Operating Officer and/or Chief Executive Officer, ideally within the first hour of an incident. This notification would be done by the Emergency Director, and if possible is done via the Senior Vice President of





Operations. If the ECC has not yet been activated, then this notification shall be done by the Incident Commander.

5.2.2 Internal

Internal notifications may be completed using the ALERT notification system (Everbridge). A notification will go to the appropriate emergency response team depending on the nature of the incident. They have the capability of notifying the Business Support Team, Crisis Management Team, Cochrane Emergency Team and the Field Initial Response and Support Team as well as all personnel.

5.2.3 External

After contacting the Regulators via the Liaison Officer, the licensee must notify the local authority, RCMP/police, the local Regional Health Authority, government agencies, and support services required to assist with initial response if the hazardous release goes off site and has the potential to impact the public or if the licensee has contacted members of the public or the media..

The licensee must make the information listed in Table 2 (below) available to the public as soon as possible during an emergency.

The licensee is expected to coordinate media releases with the Regulator prior to release to allow for consistency and accuracy of information. Information is communicated through written news releases, news conferences, website updates, social media and any other effective means the licensee chooses to use. The licensee should identify a spokesperson to carry out this role and to interact with the Regulators and other applicable government agencies.

Table 2 Information to Evacuees

Information to Evacuees				
Information To those evacuated or sheltered—at the onset	To those evacuated or sheltered—during			
 type and status of the incident location and proximity of the incident to people in the vicinity public protection measures to follow, evacuation instructions, and any other emergency response measures to consider actions being taken to respond to the situation, and time frames 	 description of the products involved and their short-term and long-term effects effects the incident may have on people in the vicinity areas impacted by the incident actions the affected public should take if they experience adverse effects 			



contacts for additional information			
To the general public—onset	To the general public - during		
 type and status of the incident location of the incident areas impacted by the incident description of the products involved contacts for additional information actions being taken to respond to the situation 	 provide regular updates on the incident If unable to provide all the information set forth in the onset of the incident, ensure that this information is provided in a timely manner. Provide anticipated timeline for clean-up/return to normal 		

5.2.4 Contacting key stakeholders

Key stakeholders that may need to be contacted are listed in Section 9.

5.2.5 Members of the public

Should the incident require contacting members of the public who may be in an affected area, this will be done by a company representative, or another member of a responding agency or local authority, as determined by the Incident Commander or Emergency Director (ECC) and those within the Incident Command System. Information updates to the public will be coordinated and distributed via the Corporate Communications Team. The Public Information Officer may be involved in dissemination of updates under the guidance of the Corporate Communications team.

5.2.6 Members of the media

All requests for information from the media will be directed to Corporate Communications Staff. During office hours, the number for head office reception may be given for media to contact **REDACTED**. After hours, media may call_**REDACTED**. Should the need arise a spokesperson from Calgary may attend the site to facilitate communication with the media.

5.2.7 Next of Kin Notifications

All next of kin notifications will be done in accordance with Section 6.3.9

5.2.8 Crisis Communications Plan

In addition to items in this plan, there is a complimentary Crisis Communications Plan that would be used during an event. This plan is maintained by the Corporate Communications Staff.



5.3 Virtual Tools

The Response Group (TRG) Software will be used to manage the incident. This is a suite of response apps that will provide a common operating picture for all response members to access the incident. All Emergency Response Team, Incident Management Team, Business Support Team, and Crisis Management Team members shall have these apps downloaded on their mobile devices and have the weblink saved. The following apps should be downloaded via the IPL app store:

- Initial Response
- IAP
- elMH Enterprise
- Resource Request
- Resource Manager

The website to access via the web is: **REDACTED**

The apps and website use IPL's single sign on.

- Username REDACTED
- Client Code REDACTED

5.4 Incident Command Post Set-up

If the first arriving personnel determine that the incident is, or could potentially be beyond their level of control, and Incident Command Post (ICP) is established.

The Incident Command Post (ICP) shall be set-up in a temporary or semi-permanent location that will accommodate the Command and General staff.

5.5 Incident Action Planning

Once the emergency level has been declared and notifications are completed then it is time to begin Incident Action Planning.

ICP Incident Action Plan(s) shall guide all response activities by providing a concise, coherent means of capturing and communicating the overall incident priorities, objectives, strategies and tactics and their associated resources.

Note: Every incident shall have an Incident Action Plan (IAP) and it shall be updated for each operational period.

There are five primary steps to ensure a comprehensive action planning process:

1. Understand the current situation




- 2. Establish priorities, objectives and strategies
- 3. Develop Incident Action Plan for the next Operational Period
- 4. Evaluate the plan
- 5. Anticipate what will happen following implementation of the plan and develop contingency plans

The Incident Action Plan is prepared by the Planning Section Chief for each Operational Period and must be approved by the Incident Commander, in consultation with the Command and General staff. Once approved each functional area will be responsible for implementing their respective portion of the plan, including monitoring the plan and evaluating its effectiveness and progress.

The Incident Action Planning cycle can be found in the Planning P below.

Planning P



*During this timeframe a meeting with the Agency Administrator/Executive can occur.



5.6 Understand Current Situation

Prior to the initial planning meeting the Planning Section Chief shall:

- Evaluate the current situation and decide whether the current planning is adequate for the remainder of the operational period (i.e. until the next plan takes effect)
- Advise the Incident Commander and the Operations Section Chief of any suggested revisions to the current plan
- Establish a planning cycle for the incident (refer to Planning P)
- Participate in the Objectives meeting to update the incident objectives and strategies
- Participate in the Tactics meeting to review the tactics developed by the Operations Section Chief
- Determine who needs to attend the Planning meetings, in consultation with the Incident Commander. Attendees can include:
 - Incident Commander
 - Command Staff
 - General Staff
 - Resources Unit Leader
 - Situation Unit Leader
 - Air Operations Branch Director (if established)
 - Communications Unit Leader
 - Technical Specialists (as required)
 - Agency Representatives (as required)
- Establish the location and time for the planning meeting
- Ensure that planning boards and forms are available
- Notify necessary support staff about the meeting and their assignments
- Ensure that a current situation an resource briefing will be available for the meeting
- Obtain an estimate of resource availability for use in planning for the next operational period
- Obtain necessary agency policy, legal, or fiscal constraints for use in the Planning meetings.

5.7 Conduct the Planning Meeting

The Planning Meeting is conducted by the Planning Section Chief. The sequence of steps that follows is intended to aid the Planning Section Chief in developing the IAP.



5.7.1 Give briefing on situation, resource status and incident potential

The Planning Section Chief and/or Resources and Situation Unit Leader should provide an up-to-date briefing on the situation. Information for this briefing may come from any or all of the following sources:

- Incident Commander
- Incident Briefing (ICS 201)
- Field Observations
- Operational reports
- Regional resources and situation reports

5.7.2 Set/Review established objectives

The Incident Commander is responsible for setting incident objectives. When responding to any emergency, the primary objectives of the ECC/ICP are:

- Collect, analyze, and disseminate information taking into account both site and corporate strategies
- Maintain continuity of operations of unaffected areas of the business
- Provide resource assistance to impacted sites

5.7.3 Establish Organizational Structure

The Operations Section Chief shall work in conjunction with the Planning Section Chief to identify the organizational structure. This shall include determining the divisions and branches for geographical divisions and determine the need for functional group assignments for the next operational period.

5.7.4 Identify Tactics


The Operations Section Chief will establish the specific work assignment to be performed for the next operational period. Tactics (work assignments) shall be specific in nature in order to meet the identified objectives and strategies.

5.7.5 Identify Resources

Once the Operations Section Chief has identified the tactics, they will work with the Planning Section Chief to determine the resource needs to accomplish the work assignments.

5.7.6 Identify Operations Facilities and Reporting Locations

The Operations Section Chief, in conjunction with the Planning and Logistics Section Chiefs, shall make available the facilities and reporting locations required to





accomplish work assignments. The Operations Section Chief shall indicate the reporting time requirements for the resources and any special resource assignments.

5.7.7 Develop Resource Order

The Planning Section Chief will assess the resource needs identified by Operations and will work with the Resource Unit to determine availability. If resource is not available and is approved, it is then given to Logistics to order the new resources.

5.7.8 Consider Communications, Medical and Traffic Plan Requirements

In addition to the Incident Objectives, Org chart, Assignment list and map of the incident area, there can be a need, during larger incidents, for additional information (Communication, Medical and Traffic Plan). The Logistics Section Chief shall determine the need for these and ensure that they are developed. These plans, if developed, shall be added to the Incident Action Plan.



Table 3 IAP and Attachments

Component	Prepared by	
Incident Objective (ICS form 202)	Incident Commander/Emergency Director	
Organizational Assignment List (ICS form	Resources Unit	
203)		
Assignment List (ICS form 204)	Resources Unit	
Radio Communication Plan (ICS form 205)	Communications Unit	
Medical Plan (ICS form 206)	Medical Unit	
Incident Maps	Situation Unit	
Safety Message Plan (ICS form 208)	Safety Officer	
Other potential Components of an IAP (incident dependent)		
Air Operations Summary (ICS form 220)	Air Operations	
Traffic Plan	Ground Support Unit	
Decontamination Plan	Technical Specialists	
Waste Management or Disposal Plan	Technical Specialists)	
Demobilization Plan (ICS form 221)	Demobilization Unit	
Site Security Plan	Security Specialist	
Evacuation Plan	As required	
Sheltering/Mass care plan	As required	
Remediation Plan	Environment Unit	
Water Sampling Plan	Environment Unit	
Wildlife Plan	Environment Unit	

5.7.9 Finalize, Approve, and Implement IAP

The Planning Section Chief, in conjunction with the Operations Section Chief, is responsible for seeing that the IAP is completed, reviewed and distributed using the following steps:

- 1. Set the deadline for completing IAP attachments
- 2. Obtain plan attachments and review them for completeness and approvals.
- 3. Determine the number of IAPs required
- 4. Arrange with the Documentation Unit to reproduce the IAP
- 5. Review the IAP to ensure it is up to date and complete prior to the operations briefing and plan distribution
- 6. Obtain approval and signature of IAP by the Incident Commander
- 7. Provide the IAP briefing plan, as required, and distribute the plan prior to beginning of the new operational period.



5.8 Operational Periods

The Incident Commander shall set the operational period.

An Operational Period is the length of time set to achieve a given set of objectives. The Operational Period may vary in length and will be determined largely by the dynamics of the emergency event and availability of resources. Common operational period length is between 8-12 hours but shall not exceed 24 hours.

5.9 Situation Reports (Sit Reps)

Sit Reps are briefings facilitated to update incident staff on the situation.

In the initial stages of activation, Sit Reps may be held as required, to support response operation..

ECC/ICP team members should come prepared to the Sit Reps by preparing in advance information on:

- Current situation (relevant to their function / role)
- Unmet needs
- Future activities
- Public information needs
- Items that may impact other areas

Minutes from the Sit Rep shall be documented and filed within the Documentation Unit.

Sit Reps should be kept as brief as possible.



5.10 Documentation

It is very important to accurately document ICP/ECC actions taken during emergencies using the Master Event Log. The Master Event Log shall include documented record of all policy and decisions.

All individual decisions/actions shall be tracked on the <u>ICS 214</u> form, for each individual/per operational period.

General considerations when completing incident paperwork should include:

- Print or type all entries
- Enter dates in year/month/day format
- Use 24-hour clock time format
- Enter name, position, page number, date and time on all forms
- Fill in all blanks; use N/A (not applicable) as appropriate
- Hand in all documentation to Planning > Documentation Unit


5.11 Demobilization of Resources

Once the emergency level is decreased the Planning Section Chief shall work with the Incident Commander and all General Staff to determine what resources can be demobilized. The Planning Section Chief will then work in conjunction with the Logistics Section Chief and a demobilization plan. The demobilization plan shall be communicated to all affected personnel and their immediate Supervisors.

5.12 Escalation/De-escalation of Incident

Emergency situations can change quickly, and the Incident Commander/Emergency Director must continually evaluate the emergency level. If the consequence or likelihood of the incident increases/decreases from the initial assessment and results in an increased/decreased emergency level the following actions shall be completed:

- Emergency Director/Incident shall notify the Liaison Officer immediately of the change in emergency level and the reason for the change
- Liaison Officer shall consult with regulators on the need to change the emergency level
- Notification of the change in emergency level must be communicated to all emergency response personnel that are participating in the incident
- A review of the incident org chart shall be conducted with the Emergency Director/Incident Commander and all General Staff to determine staffing requirements





5.13 Deactivation

Once the emergency level reaches Level 1 or Alert level, the Business Support Team and associated Emergency Coordination Centre shall be stood down. Prior to standing down the ECC, the emergency level must be de-escalated.

The Incident Command Post may still be active for a period of time after the ECC has been stood down. Once the incident is in recovery mode, incident command is terminated, and the recovery shall be assigned to the appropriate department.

The decision to de-active or stand-down certain or all portions of a response will be a joint decision involving the Incident Commander, the Regulators and possibly the Emergency Director.



6.0 EMERGENCY RESPONSE

When responding to any emergency, the Priorities are:

- 1. Life Safety
- 2. Incident Stabilization
- 3. Protection of the Environment
- 4. Protection of Property/Assets

Emergency response should follow the following basic steps:

- 1. Assess the situation.
- 2. Protect the responders and other personnel.
- 3. Isolate and control the situation.
- 4. Conduct required notifications.
- 5. Mitigate impacts.
- 6. Repair and recover operations.
- 7. Submit required reports.

Response timelines that we will strive to meet, considering the numerous variables (weather, other events, availability of contractors, etc.) involved are as follows:

After an incident requiring response has been recognized, the response has been divided into four phases (Refer to below). While the phases appear in an order, it is expected that at the time of detection these phases may occur concurrently. Timing of each of these events begins from the time of recognition and not detection time.




Response phases and timeline expectations

PHASE OF RESPONSE	EXPECTED PERIOD OF TIME
PHASE 1 Pipeline Shutdown	Initiated immediately upon recognition of a pipeline emergency The remote shutdown of the pipeline through a control center should be undertaken immediately upon identification of a confirmed leak.
PHASE 2 Emergency Response Activities May include establish command, develop emergency response structure / set-up ICP/ notify Emergency Operation Center / initial response activities – on route to site	2 Hours The structuring of an emergency response management system should be undertaken immediately upon recognition. The establishment of the Incident Command System should occur in no more than two hours.
PHASE 3 Staff on-site Continue to develop emergency response structure / set-up ICP/ set-up Emergency Operation Center (if required). Begin Incident action planning (setting Objectives, Strategies and Tactics).	3 Hours Company First Responder on scene within 3 hours
PHASE 4 Initial Emergency Response Equipment on site Establish a staging area and assign a Staging Area Manager. Ensure planning and logistics are receiving and assigning resource statuses to all emergency responders/equipment.	6 Hours - Natural Gas and Oil As the incident may be located on land or water, certain factors played heavily into the following. It is felt that initial response equipment should be on site no more than 6 hours from recognition, with additional supporting requirements in the case of oil taking no more than 72 hours. This can be achieved with either in-house or mutual aid/spill cooperatives.



6.1 Initial Response

Initial Response





6.1.1 Initial Assessment

Upon discovery of an emergency or upon request by the Control Centre or other persons, approach the emergency scene from upwind to assess what has happened.

Before getting near to the scene, conduct a **Hazard Assessment** to determine if it is safe to approach. Do not approach the scene if you determine it to be potentially unsafe.

Determine the following:

- What is the nature of the emergency? (line break, injury, fire, bomb threat, etc.)
- Has the primary emergency event concluded (e.g. injury) or is it continuing (e.g. fire)?
- If a product is being released, what is it?
- Where is the emergency?
- What facilities and equipment are involved? How far does it extend?
- What other personnel are on site?
- Might other personnel or the public be affected? If so, who?
- · What on-site and off-site impacts may occur?

6.1.2 Communicate the situation

If continued operation of the site may cause the situation to worsen, contact the Control Centre and have them shut down the site if they are able to do so.

If the situation requires the participation of local emergency services such as police, fire or ambulance, call 9-1-1 to summon them.

Contact your area Supervisor and communicate the information you have gathered to them. If the Supervisor is not available, call the contacts listed below in the order shown until someone answers:

- Operations Manager
- General Manager, Pipeline Field Operations
- Vice President, Pipeline Operations
- Sr. Vice President Transportation



6.1.3 Stop nearby work

If personnel or contractors are conducting any work on the site, instruct them that all work permits are cancelled, tools are to be put down, their work site is to be made safe and they are to clear the area. No work is to resume until the emergency situation is over.

6.1.4 Evacuate others

If you determine that there is a danger to others on the site, order them to evacuate to a mustering point located a safe distance away. Ensure that all personnel are accounted for.

Instruct them to stay clear of the site until they receive explicit permission to re-enter.

Flag the area of the emergency and access routes with warning ribbon and post signs to warn people to stay away. If necessary, assign someone to monitor the area and prevent people from entering.

6.1.5 Stay clear, observe & report

From a safe distance, assess the emergency situation for the following:

- Feasibility of responding to the emergency given your skills, knowledge, and available emergency equipment.
- Hazards and your personal risk associated with responding to the emergency.

If you determine that addressing the emergency yourself is neither safe nor achievable, then do not attempt to respond and maintain your distance. Continue to observe the situation and report the status of the situation to your Supervisor, who will formally take the role of Incident Commander or Operations Chief. Document any significant changes in status and record the time.

If safe to do so and you have the permission of your Supervisor, you may attempt to protect adjacent assets or the environment from the effects of the emergency.



6.1.6 Assist Emergency Responders.

Do not take further action until instructed by the Incident Commander.

Be prepared to assist the Emergency Responders when they arrive. You may be assigned one or more of the following activities:


- Implement emergency response procedures as an Emergency Responder
- Set up roadblocks (if possible)
- Flag Hot, Warm and Cold zones
- Notify area residents
- Obtain provisions for Emergency Responders
- Guide external resources to the site
- Man the Reception Centre in case of resident evacuation
- Assume an ICS role
- Provide information on the site/product to responders

6.1.7 Initiate response actions

Whenever responding to an emergency by yourself, the situation must be treated as a **high-risk**, **working alone situation**. Prior to undertaking any response activity, you must contact either the Control Centre or your Supervisor and provide the following information:

- Where you are
- Your contact telephone and/or cellular number
- What activity you are about to undertake
- How long you expect it to take
- When you will call in again
- When assistance should be summoned if you miss calling in

Before implementing any response procedure, ensure that you fully understand the hazards and have equipped yourself with appropriate personal protective equipment. If you are not comfortable or confident responding to the emergency, then secure the scene and wait for assistance.





Refer to this manual for emergency response procedures. Select and implement the appropriate one. Keep in mind that the priorities in any emergency are:

- 1. Life Safety
- 2. Incident Stabilization
- 3. Protection of the Environment
- 4. Protection of Property/Assets

6.1.8 Complete incident report

Once the situation is under control and you have stepped down from your response role, complete an incident report together with your Supervisor. If the cause of the emergency is known, be sure to describe it clearly on the form. Be prepared to assist government and/or company investigators if they should ask for a statement.

6.2 Determining the Emergency Level

Determine the Rank for Consequence and Likelihood of incident escalation in Tables 4 and 5. Sum the ranks and use that number to determine the risk level and associated Emergency Level in Table 6.

CONFIRM INITIAL EMERGENCY LEVEL DETERMINATION WITH AND CONSULT REGULATORS FOR ANY LEVEL CHANGES

6.2.1 Step 1 – Rate the Consequence of the Incident

Table 4 Consequence of the Incident

Consequence of Incident		
Rank	Category	Example of Consequence in Category
1	Minor	 No Worker Injuries. No or low media interest. Liquid release contained on lease. Gas release impact on lease only.
2	Moderate	 First aid treatment required for on-lease worker(s) Local and possible regional media interest. Liquid release not contained on lease. Gas release impact has potential to extend beyond lease.
3	Major	 Worker(s) requires hospitalization. Regional and national media interest. Liquid release extends beyond lease—not contained. Gas release impact extends beyond lease—public health/safety could be jeopardized.
4	Catastrophic	Fatality



Note: After choosing the correct consequence rating for the incident, enter the ranking (1 - 4) in the 1st box of Section 6.2.3.

6.2.2 Step 2 – Rate the Likelihood of the Incident Escalating

Table 5 Likelihood of the Incident Escalating

Likelihood of Incident Escalating			
Ratin	Descriptor	Description	
g			
1	Unlikely	The incident is contained or controlled, and it is unlikely that the incident will escalate. There is no chance of additional hazards. Ongoing monitoring required.	
2	Moderate	Control of the incident may have deteriorated but imminent control of the hazard by the licensee is probable. It is unlikely that the incident will further escalate.	
3	Likely	Imminent and/or intermittent control of the incident is possible. The licensee has the capability of using internal and/or external resources to manage and bring the hazard under control in the near term.	
4	Almost Certain or Currently Occurring	The incident is uncontrolled; there is little chance that the licensee will be able to bring the hazard under control in the near term. Milk River Pipeline Ltd. will require outside assistance to remedy the situation.	

Note: After choosing the correct likelihood rating for the incident, enter the ranking (1 - 4) in the 2nd box of Section 6.2.3.



6.2.3 Step 3 – Calculating Risk Level

After entering the consequence in Box 1 and the Likelihood in Box 2, add them together and enter the sum into the 3rd box to get the Risk Level (i.e. if the consequence was 2 and the Likelihood was 3 then the Risk Level will be 5).

Rating from Step 1		Rating from Step 2		Risk Level	
(Consequence)	+	(Likelihood)	=		

Table 6 Incident Classification Table

Incident Classification		
Risk Level	Emergency Level	Definition
Very low (2- 3)	Alert	An incident that can be handled on site by company personnel through normal operating procedures and is deemed to be very low to members of the public.
Low (4-5)	Level 1- Emergency	There is no danger outside company property, there is no threat to the public, and there is minimal environmental impact. The situation can be handled entirely by company personnel. There will be immediate control of the hazard. There is little to no media interest.
Medium (6)	Level 2 – Emergency	There is no immediate danger outside company property or the right-of-way, but there is the potential for the emergency to extend beyond company property. Outside agencies must be notified. Imminent control of the hazard is probable but there is a moderate threat to the public and/or the environment. There may be local and regional media interest in the event
High (7-8)	Level 3 – Emergency	The safety of the public is in jeopardy from a major uncontrolled hazard. There are likely significant and ongoing environmental impacts. Immediate multi-agency municipal and provincial government involvement is required.






Table 7 Incident Notifications

REDACTED



6.3 Injury Response

Injury Response

REDACTED

6.3.1 Survey for Hazards

Before proceeding into an area to rescue or tend to an injured worker, conduct an **Informal Hazard Assessment** to identify any hazards that could endanger the Emergency Responders. Observe carefully and implement the required controls before proceeding. Possible hazards include:

- Hydrogen sulphide gas (H2S)
- Lower Explosive Limit (alarm on personal monitor)
- Oxygen deficient environment (personal monitor)
- Exposed electrical wires
- Electrified and/or rotating equipment
- Gas, condensate, or oil leaks
- Spilled chemicals
- Unstable structures, scaffolds, ladders or walkways
- Wet, icy, or oily flooring
- Work at height
- Confined spaces
- Animals


6.3.2 Take Initial Precautions

If your assessment indicates that the area can be entered safely through the use of Personal Protective Equipment (PPE), obtain the equipment and don it properly. Examples of such equipment include:

- Personal atmospheric monitor
- Respiratory protection such as a Self-Contained Breathing Apparatus (SCBA)
- Fall Arrest System
- Chemical protective suits and gloves
- Goggle or safety glasses
- FR rated clothing

6.3.3 Isolate Hazards

If your assessment indicates that the hazards can be minimized by shutting valves, de-energizing electrical circuits, shutting down equipment or by other means, proceed to do so to reduce the risk to any victim(s) and the Emergency Responders.





Assess if these actions are adequate to eliminate or reduce the hazards to an acceptable level.

6.3.4 Remove Victim(s) from Hazards

A victim should not be moved unless area hazards threaten to harm the victim further. It is particularly important to leave a suspected fatality in place for the purpose of investigation.

If the hazards cannot be reduced to an acceptable level, consider moving the victim to a safer area. Assess whether moving the victim will cause them more harm than tending to them in place. Extreme caution is required if neck or spinal injuries are suspected.

If the victim can be moved safely, move them from the scene to an area that is safe for both the victim and the Emergency Responders.

6.3.5 Assess Victim's condition

Using primary and secondary first aid survey techniques assess the victim's condition and the nature and extent of the victim's injuries.

Always assume the person is alive and treat them accordingly. Only a medical doctor is legally authorized to declare a person deceased.

Ask witnesses to describe what happened.

6.3.6 Summon Medical Aid

If your survey indicates that the victim requires immediate medical aid, requires transport to a hospital or if the victim's condition is uncertain, summon medical aid immediately. This can be done directly by telephoning 9-1-1 or forwarding your request to your Supervisor and ultimately Incident Commander.

Provide information to emergency services and the Incident Commander on the victim's condition so that the ambulance can arrive prepared. If the victim was exposed to chemicals, obtain the Safety Data Sheet and provide a copy to the ambulance crew.

Should the victim have serious injuries or require hospitalization contact your supervisor or the Incident Commander as soon as possible to initiate Next of Kin notification, see 6.3.9; after victim receives appropriate care.

Request that any witnesses to the incident provide a written statement describing what they saw.



6.3.7 Initiate First Aid

Following standard first aid procedures, initiate first aid on the victim. Continue to tend the victim until instructed to stand aside by the paramedics, police or fire department.

Once treatment is complete, continue to monitor the victim for any changes in condition.

6.3.8 Secure the Incident Scene

Serious industrial injuries usually result in an investigation conducted by provincial occupational health and safety authorities. The incident scene must remain undisturbed until the investigators have finished their work.

Surround the scene with warning ribbon, and post signs to avoid having the area disturbed. Do not disturb any equipment, tools, spilled materials, ladders, etc. Leave them exactly where they lay. Ensure that nobody else disturbs the area.

If a camera is available, photograph the area from multiple angles.

6.3.9 Notification of Next-of-Kin

Prompt notification to next of kin must occur when and employee is seriously injured or deceased.


However, remember that:

- Death cannot be assumed. Only a doctor or medical examiner can pronounce a casualty dead.
- Death notifications may only be carried out by law enforcement or the health care agency the casualty is in the custody of.
- If the incident occurs during work hours but away from an IPL site, it is possible that Inter Pipeline may not be aware of a death and a next of kin notification occurring.

Upon recognition of an employee or contractor serious injury requiring hospitalization;

Do the following:

If an incident of this nature occurs or is suspected contact your supervisor immediately, as per the Injury Response procedure in the Emergency Response Plan. If they cannot be reached call the next supervisory level until someone is reached.
Supervisory will sequester those on scene or directly involved as appropriate and inform them that no communication regarding the casualty is to take place
Supervisory will contact Vice President of Pipeline Operations






or virtually) that will consist of at a minimum of: The Senior Human Resources Business Partner for Transportation Pipelines The Manager of Corporate Communications Associate General Counsel Manager of HSSE Transportation Direct Supervisor of affected individual ☐ Senior HR Business Partner will assist direct supervisor to provide Critical Incident Stress Debriefing support for those sequestered and direction to further mental health assistance ☐ If the incident involves contract personnel, the Vice President of Pipeline Operations will inform the contractor's management who, in turn, will be responsible for assisting police in notifying the next-of-kin. Some independent contractors may not have a head office. In such cases, the Vice President of Pipeline Operations is responsible for assisting the police in next-of-kin notifications, as if the contract person were an employee. ☐ Senior level of management and the most senior IPL field representative; will assist the police as required. If possible, ask that notification back to Inter Pipeline regarding the notification having been completed to the next of kin has occurred. ☐ A Human Resources representative or designate will be assigned to be the primary contact with the next of kin. ☐ The Support Team will be prepared to offer support and assistance to the next of kin in the short term. (Transportation, alternative accommodation, reimbursements for daily expenses, etc.) ☐ The assigned Human Resources representative or designate will keep families informed of activities such as: Identifying the contact person for benefits and insurance information Return of personal belongings Distribution of final paycheck Return of IPL property (e.g. keys, laptop computers, cell phones, etc.) Grieving relatives/friends may contact decedent's colleagues and/or supervisors for information. Refer all questions regarding the decedent's employment status (e.g. personal belongings, paycheck, benefits, etc.) to Human Resources. Refer questions about the work-related cause of death to the Manager of HSSE for Transportation. The supervisor shall box up belongings and deliver them to the HR representative for distribution to the appropriate next of kin. This step will

☐ Vice President of Pipeline Operations will assemble a Support Team (in person

ensure that the correct next of kin receives the belongings.





Do not:


Do not allow family members or friends direct access to the affected individual office, locker, or other workplace storage areas. No discussion is to take place regarding the name(s) of the affected individual in a public setting or via a means of communication that is not private. Avoiding use of the individuals name where possible and use it only where necessary. Under no circumstances are the names of casualties to be released before the next-of-kin are notified. Make sure the next of kin has one point of contact from IPL, not multiple.



6.4 Fire Response

See 6.8.3 for Forest or Wildfire Response. See Milk River Facility Pre Fire Plan for major facility fires

Fire Response





6.4.1 Assess Scale and Nature of fire

Upon arrival at the scene, assess the following:

- How widespread is the fire what areas are involved?
- What equipment, tanks and structures are involved?
- What are the primary and secondary fuel sources?
- What is / was the likely source of ignition?
- What equipment, tanks, structures and areas are likely to be affected if the fire spreads?
- What additional hazards might be created by the fire, such as explosion, toxic gases, environmental release, etc.?
- Where are the extinguishers, hoses, hydrants, standpipes and other firefighting equipment?

Report this information to the Incident Commander.

6.4.2 Summon fire fighters

Contact the Incident Commander and have him summon firefighting assistance. This may come from off duty staff, local municipal fire departments, commercial firefighting services or adjacent industries through mutual aid agreements.

Prepare to work arriving units into the Incident Command System when they arrive.

6.4.3 Isolate involved equipment


Shut down any equipment involved in or threatened by the fire. Close valves that allow product to flow to affected equipment. Turn off power at the breaker. Shut off fuel gas supplies. Shut down chemical pumps and close valves.

If a large proportion of the facility is threatened, activate the Emergency Shutdown (ESD).

At this point, assess the chances of success of fighting the fire with the personnel and equipment available at the site.

6.4.4 Protect nearby assets

Identify protective measures for nearby structures and equipment and put them in place. Examples of such measures include:





- Relocating moveable equipment and materials
- Setting up water sprays to cool nearby equipment and structures
- Covering sensitive apparatus with tarps (ex: computers or other electronics)
- Shutting down equipment

Closing openings that allow smoke into unaffected parts of a structure

6.4.5 Equip and protect responders

If fighting the fire is within the response capability of the facility and it is safe to fight the fire, obtain the required personal protective equipment (PPE) and fire extinguishing equipment. Staff should assemble at the Staging area for potential assignment based on incident needs.

Ensure that required PPE is worn by all Emergency Responders. PPE must include fire retardant clothing and safety glasses in addition to normally required site PPE. If there is a possibility that toxic vapours or excessive smoke will be encountered, a Self-Contained Breathing Apparatus (SCBA) must be worn.

Obtain fire extinguishers and other required firefighting equipment. Verify that they are operational and in the case of extinguishers, fully charged. Ensure that the appropriate class of extinguisher has been selected.

Ensure that at least one Emergency Responder stays back to assist in case of trouble.

6.4.6 Extinguish the fire

Approach the fire from the upwind side, ensuring that a clear escape path is available behind you. Operate the extinguisher(s) as directed and attempt to extinguish the fire.

THE FOUR STEPS IN EXTINGUISHING A PRESSURE FIRE

Proper protective clothing must be worn.



1. Cooling and Quenching:

- Check Safety Data Sheets for firefighting procedure
- Protect surrounding equipment and piping
- Be aware of other hidden hazards, e.g. electrical conduit, high pressure in surrounding piping, possible toxic fumes.
- Monitor fire pumps, river pumps, and portable monitors.

2. Isolation:

- Contain and reduce the amount of feed to the fire.
- Block in primary block valves if possible.
- Block in secondary block valves if primary valves are inaccessible.
- Block in and depressurize surrounding piping if hazard exists.

3. Drain and Depressurize:

· Continue to reduce the amount of feed.

4. Extinguish

- After the fuel feed has been reduced to the point that the danger of reignition, explosion or flash fire is minimal, extinguish using fire extinguisher.
- AFFF foam used for Heat Medium Oil and Compressor Oil, will have very little effect on N.G.L. as the high pressure vapour will come through the foam.
- Continue to cool and quench until all equipment is cool.

Once the fire is out, inspect for smouldering areas, sparks, and secondary fires. Extinguish them as well.

If the fire is satisfactorily extinguished, skip to 6.4.8

6.4.7 Assist External fire fighters


When the external fire fighters arrive, be prepared to assist them with information, equipment and manpower.

If the fire fighters come from the local municipal fire department, they may take command of the situation, in which case control should be handed over and assistance provided.

6.4.8 Initiate Fire Watch

Assign an individual to maintain a watch on the area involved in the fire to ensure that the fire does not start up again.

Equip the individual with a two-way radio or cell phone. If a fire does start, report it to the Incident Commander before taking action to extinguish it.





Maintain the watch for at least four (4) hours – longer for larger, more involved fires, as determined by the Incident Commander.

6.4.9 Secure Incident Scene

Large fires usually result in an investigation conducted by provincial fire and occupational health and safety authorities, as well as by the company's insurance company. The incident scene must remain undisturbed until the investigators have finished their work.

Surround the scene with warning ribbon, and post signs to avoid having the area disturbed. Do not disturb any equipment, spilled materials, debris, etc. Leave them exactly where they lay. Ensure that nobody else disturbs the area.

If a camera is available, photograph the area from multiple angles.


Once leaving site of a firefighting event, if possible, change clothing prior to entering your vehicle. Remove outside clothing and store inside truck box or secured area until it can be laundered.



6.5 Spill/Release Response

REFER TO <u>WCSS OIL SPILL CONTINGENCY MANUAL</u> FOR YOUR AREA FOR SPECIFIC TECHNIQUES, SPILL ASSESSMENT, CONTAINMENT & RECOVERY AND WILDLIFE RECOVERY

Spill or Release Response





6.5.1 Characterize the release

Upon arrival at the scene, assess the following:

- What is the source of the spill or release?
- What product is or has been released?
- Is it gas, liquid or solid?
- What is the wind direction and what areas are down-wind?
- How much has been released?
- Is the release continuing or has it stopped?
- What area has been affected by the release?
- What areas, including waterways, are threatened by the release?

Report this information to the Incident Commander.

Proceed to consult the Safety Data Sheet and product information to identify:

- Whether the product is toxic, corrosive, flammable or an oxidizer
- If the product is volatile
- What is the required PPE for spill cleanup
- In case of fire, what types of extinguisher can be used and what hazardous combustion products may be released

6.5.2 Shut off source

If the release of material continues and it is safe to do so, locate and shut off the source.

If the source is the pipeline or facility piping, have the Control Centre shut down the facility and any upstream operations. Alternatively, activate the ESD. Close valves both up and downstream of the release to limit the amount of product that can be released.

If the source is a tank, shut off any feed to the tank and attempt to transfer the remaining contents into another tank or the pipeline.

If the source is a drum or container, attempt to reposition the container so that the breach is above the liquid level or attempt to transfer the contents to another container. Use proper lifting techniques to avoid injuring your back.



6.5.3 Evacuate endangered area

Determine if the release presents a hazard to site personnel or the public.

If the release presents a hazard to personnel on site, evacuate the endangered area.

If the release presents an immediate hazard to nearby residents, proceed to notify them that evacuation is required. Conduct notifications within a radius determined by the Incident Commander. The notification may be coordinated by the Incident Commander if it will significantly detract from the time required for response activities.

Inform the Incident Commander of your actions.

6.5.4 Notify local authorities

If an evacuation of the public may be required, ensure that local authorities are notified by telephoning the police at 9-1-1 and informing the Incident Commander, who will conduct additional notifications for you.

6.5.5 Remove ignition sources

Keep vehicles away from the spill. Do not drive or park down-wind from the spill. Prohibit smoking.

Shut down any operating equipment near to the release. If controls are inaccessible, request that the SPCC shut the equipment down remotely or activate the Emergency Shut Down (ESD).

Use non-sparking tools when working near the spill.

6.5.6 Obtain response materials & equipment


Secure the spill scene to ensure that nobody inadvertently enters the area prior to or during the clean-up.

Refer to Safety Data Sheet sheets and the product information to determine what spill response equipment and materials are recommended for the job. Obtain the recommended materials or a suitable alternative.

If the product is flammable, ensure that only non-sparking tools are used.

6.5.7 Summon external resources

If site capabilities are insufficient to contain the release, contact the Incident Commander and have him summon external assistance. This may come from contracted services, spill cooperatives or adjacent industries through mutual aid agreements (See Section 10)





Prepare to assist the external resources with information, equipment and manpower when they arrive.

6.5.8 Contain the release

Refer to the WCSS Spill Contingency Manual for your area for specific procedures/techniques

Ensure that required PPE is worn by all Emergency Responders. PPE must include clothing resistant to the product and impermeable gloves (usually nitrile) in addition to normally required site PPE. If there is a possibility that toxic vapours, including hydrogen sulphide (H₂S) will be encountered, a Self-Contained Breathing Apparatus (SCBA) must be worn.

Approach the spill from the upwind side, ensuring that a clear escape path is available behind you. Ensure that at least one Emergency Responder stays back to assist in case of trouble.

Refer to the WCSS Manual for the Oil Spill CO_OP area where the spill is located.

These manuals contain information regarding equipment, contact lists, control points and information on cleanup and recovery procedures. The manuals are located in each district office. A generic Spill Contingency Manual and equipment locations can be found at: **REDACTED**

Specialized spill containment and recovery procedures and techniques should be implemented only under the direction of the Operations Chief.

Particular attention must be paid to preventing spills from reaching water bodies.

6.5.9 Clean up debris & contamination

Once the release is contained, take steps to recover as much free product as possible.

Contact the Incident Commander to determine how contaminated soil will be handled. Normally, contaminated soil will be dug up for disposal. Larger volumes may be treated in-situ or in an on-site bio-cell.

Contaminated equipment should be cleaned. Dirty rags, absorbents, etc. must be placed in an appropriate container or bin for proper disposal by a waste contactor following provincial regulatory requirements.



6.5.10 Secure the spill source

Large spills or releases usually result in an investigation conducted by provincial environmental and/or industry authorities, as well as by the company's insurance company and internal investigation team. In these cases, the source of the release must remain undisturbed until the investigators have finished their work.

Unless permission is given by the Incident Commander to restore the entire site, surround the source with warning ribbon or temporary fencing, and post signs to avoid having the area disturbed. Do not disturb any equipment or operate any valves. Leave them exactly as they are. Ensure that nobody else disturbs the area.

If a camera is available, photograph the area from multiple angles.

6.6 Public Safety Responses

Many of the items listed below will require Air monitoring, both initial and throughout the event, to determine their location. It is recommended that air monitoring be arranged very quickly at an event, this could initially be done with the personal monitors that all operations staff carries with them.

6.6.1 Isolation Perimeter and Response Area

Work to establish a perimeter and response area will be done in conjunction with the local authority and regulatory bodies on site. Every attempt must be made to ensure safety of responders and the public. Should the isolation area impact a roadway, railway, waterway or areas with large number of people or transient populations present, it is vital to work closely and quickly with the local authority. If the isolation perimeter crosses a public road, establish road blocks to warn travellers not to pass through the potentially affected area and not to interfere with vehicles responding to the emergency. Capture information on Roadblock logs of those encountered at roadblocks.

Public re-entry

Approval must be obtained from the Regulator and Alberta Health Services before the public re-enters surface developments that have been exposed to hazardous substances.



6.6.2 Hot, Warm and Cold zones

Hot Zone

The Hot Zone, or exclusion zone, is the area with actual or potential contamination and the highest potential for exposure to hazardous substances. Access to this zone is only for those directly dealing with the product.

Warm Zone

The Warm zone, or contamination reduction zone, is the transition area between the hot and cold zones. This area is where responders enter and exit the hot zone and where decontamination activities take place.

Cold Zone

The Cold zone, or support zone, is the area of the site that is free from contamination and that may be safely used as a planning and staging area.

6.6.3 Roadblocks

Roads cannot be blocked, nor people prevented from passing a roadblock. Warning signs/barricade tape may be used and information, including a recommendation not to proceed can be given. A local authority will be best coordinated with to conduct a road block. Road Block kits may be available at the nearest District Field offices, a request can be made via the Operations or Logistics Chief or Incident Commander.

If H₂S or SO₂ releases are possible follow the guidance in Table 8 (below) as it applies to areas outside the isolation perimeter that remain occupied.



Table 8 Public Notification and Evacuation Requirements

H2S Concentrations in Occupied Areas	Requirement	
1 ppm H2S (1 hour average)	Notification of affected individuals must begin. Hyper-susceptible individuals should be advised to leave the area.	
Below 10 ppm H2S (1 hour average)	Hyper-susceptible individuals must be informed of the concentrations and advised to leave the area if health symptoms persist or increase. All other individuals should consider leaving the area and seek medical advice if health symptoms develop.	
Exceeds 10 ppm H2S (3-minute average) for 8 hours or more	Local conditions must be assessed, and all persons may be advised to evacuate.	
Approaching 20 ppm H2S (3-minute average)	Immediate evacuation of the area must take place, or the release must be ignited.	
SO2 Concentrations in Occupied Areas	Requirement	
0.3ppm SO2 (24 hour average) 1ppm SO2 (3 hour average) 5ppm SO2 (15 minute average)	Immediate evacuation of the area must take place.	

6.6.4 Shelter-In-Place and Evacuation


Shelter-In-Place

Shelter-in-place is generally considered the default public safety response, particularly during the initial assessment and response period. It is the recommended public safety response when:

- There is not enough time or warning to safely evacuate members of the public who may be at risk;
- Residents are waiting for evacuation assistance;
- During a gas release of limited duration (i.e. pipeline rupture);
- The location of the release has not been identified; or
- The public would be at higher risk if evacuated.

Evacuation

Evacuation is the public safety response when shelter-in-place is not appropriate. People are typically evacuated:





- When they are close to a prolonged release that is creating a public safety hazard, and when conditions are known to allow for a safe evacuation
- When they are transients or they do not otherwise have the opportunity to shelter-in-place, and
- During prolonged incidents.

Mandatory evacuations can only be ordered by the local authority through the declaration of a State of Local Emergency. Evacuation of the public from anywhere within the emergency planning zone (EPZ). This may be done by means of:

- Local authorities (police);
- Site personnel through telephone or direct contact.

Immediately gather everyone indoors and remain there.

Close all windows and outside doors. If feasible, tape or otherwise seal the gaps around the frames.

Extinguish indoor fires and turn off pilot lights to furnace and water heater. Do not smoke or have open flames. If possible close chimney flue dampers. Turn off appliances or equipment that exchanges air from inside to outside such as:

Blows out or uses inside air

- Bathroom and kitchen exhaust fans
- Built-in vacuum systems
- Clothes dryer
- Gas stoves or fireplaces

Sucks in outside air

- Heating ventilation and air conditioning (HVAC) systems
- Fans for heat recovery

Turn down furnace thermostats to lowest setting and turn of air conditioners. Avoid using the telephone except for emergencies. Stay tuned to local radio and television stations for information updates. Do not leave unless instructed by local authorities to do so.

6.6.5 Reception Centre

Should a reception centre need to be established to receive evacuees, this will be done via or in conjunction with the local authority, as there has likely been one designated for the area.



6.6.6 Ignition of Hazardous substances

Certain Regulators have the authority to direct the duty holder to ignite a release.

6.7 Security responses

6.7.1 Security Procedures – See Section 12

6.8 Other responses

6.8.1 Equipment or Structural Failure

This procedure applies to actual or impending failures of equipment or structures that have the potential to impact the environment, worker health and safety and/or the integrity of other equipment or structures.

- 1. Shut down and isolate affected equipment.
- 2. Flag the area with warning ribbon and signs.
- 3. Report the problem to your Supervisor or Manager.
- 4. Assess what other equipment or structures may be affected.
- 5. Shut down threatened equipment and flag threatened areas with warning ribbon and signs.
- 6. If the failure has resulted in a fire, spills or releases, proceed to address the situation using the First Responder procedures in <u>Section 6</u> of this manual.

6.8.2 Floods


Flood conditions are a threat to pipeline integrity. It is fortunate that some warning is usually provided before the flood conditions arise.

Once warning of an impending flood is received, carry out the following steps:

- 1. Inspect water crossings that will be affected by the flood and identify any conditions that may make the crossing more susceptible to damage.
- 2. Inspect block valves located on either side of affected water crossings and verify that they are operational.
- 3. Contact producers and notify them that they may have to be shut-in if flood conditions require shut down of the line.
- 4. If a severe flood is predicted, the line is trenched in instead of directionally drilled and the stream bed or banks have deteriorated, shut down and purge the line.

During the flood, continue to monitor the water crossings.

If manual block valve sites are threatened with flooding, consult with operations management to determine whether to shut down the line while the block valves are still accessible.





If a line becomes exposed during the flood, immediately shut down the line. Inform operations management of the situation and arrange to have spill response equipment standing by.

If oil is observed on the water, mobilize spill response equipment and emergency responders, and address the spill following the spill response procedure.

When flood waters have receded, inspect the water crossing and flooded block valve sites for damage or deterioration.

6.8.3 Forest or Wildfire


6.8.3.1 This procedure applies to a fire external to a site that threatens that site.

If you observe a wildfire:

- 1. Proceed to an area of safety.
- 2. Report the fire immediately to the SPCC, your Supervisor and the appropriate provincial agencies listed below:
- Alberta REDACTED
- 4. Saskatchewan REDACTED

After reporting the fire or when you learn of a fire in your area:

- 1. Stop all work on the site and cancel all work orders. Instruct contractors to pack up their equipment and vacate the site.
- 2. Determine the rate of movement and direction of the fire through visual observation, media reports or contacting local or provincial authorities.
- 3. Estimate the amount of time until the fire reaches the site. Report this estimate to your Supervisor.
- Do not attempt to take any protective measures or salvage activities on a site unless directed by your Supervisor and the fire is less than one hour away. Evacuate the site instead.
- 5. Shut down a pipeline only if directed by your Supervisor, the SPCC or the fire authorities. The decision to shut down must be based on a number of considerations, including the cooling capacity of a flowing pipeline vs. the risk of release from a pressurized system and subsequent more severe fire.
- 6. Prepare to assist Emergency Responders. Provide guidance to them on moving heavy equipment across pipelines.
- 6.8.3.2 The following applies if you discover and are able to safely fight the wildfire:
 - 1. Upon encountering a wildfire, assess the following:
 - How widespread is the fire?
 - What kind of fuel is burning? (Fine or heavy)
 - What is the topography of the area visible or known to you?





- What are the weather conditions, moisture, and wind direction/speed?
- Is anyone in danger?
- What tools and equipment will be required to fight the fire?

2. Summon fire fighters

Call your supervisor. If an Incident Commander has been assigned request them to call for outside assistance. Notify 911 if near a community or dwellings. Also contact **REDACTED** if Alberta or **REDACTED** if in Saskatchewan in forested areas.

Assistance may come from off duty staff, local municipal fire departments, commercial firefighting services or adjacent industries through mutual aid agreements. Prepare to work arriving units into the Incident Command System when they arrive or until fire services takes command.

Continue to assess fire activity and weather conditions.

3. Isolate involved equipment

If required and only related to Inter Pipeline infrastructure. Shut down any equipment involved in or threatened by the fire. Close valves that allow product to flow to affected equipment. Turn off power at a breaker. Shut off fuel gas supplies. Shut down chemical pumps and close valves. If a large proportion of our facility is threatened, activate the emergency Shutdown (ESD).

4. Protect nearby assets

When parking vehicles and equipment to attend to the fire, try to find an area free of fuels that could burn. Turn on strobe lights and 4-way flashers. Roll up windows and close air vents.


5. Equip and protect responders

If fighting the fire is within the response capability of the facility and it is safe to fight the fire obtain the required personal protective equipment (PPE) and fire extinguishing equipment. Staff should assemble at the staging area for potential assignment based on incident needs.

Buddy check Emergency Responders to ensure that all required PPE is worn. PPE must include fire retardant clothing in addition to normally required site PPE. If there is a possibility that toxic vapours or excessive smoke will be encountered, select the appropriate respiratory protection equipment (RPE).

6. Determine fuel sources

Fine fuels would include grass, pinecones, leaves and ground duff. Fine fuels will burn faster creating an unpredictable fire, and fire will spread faster, igniting heavy fuels.





Heavy fuels would be described as stumps, logs, slash, and will burn at a higher rate of intensity.

Subsurface fuels include roots, peat, and other decomposed organic matter.

Ariel fuels are standing and supported live and dead combustibles not in direct contact with the ground and consisting mainly of foliage, twigs, branches, and stems.

7. Weather

Wind direction and speed will determine the rate of how fast the fire will grow and must be monitored.

8. Moisture

Relative humidity is a major factor in the fire behaviour. Changes in the relative humidity will affect fine fuels, (grass, leaves) as moisture in the air is easily absorbed by the plants, making them less likely to ignite.

9. Topography

Heat from the wildfire will rise, and changes in the elevation of the land curvature will impact where the fire is travelling at a faster rate.

10. Extinguish the fire

Obtain the required personal protective equipment (PPE)

Obtain equipment: axe, backpack with pump, shovel, Pulaski.

Approach the fire from upwind ensuring that a clear escape route is available behind you.

Direct Attack the fire – stand in the black, or already burned area and extinguish fire edges, make your way around the perimeter of the fire edge.


11. Equipment description

Axe used for aerial fuels (tree limbs and branches) or large fuels, (logs).

- Do not swing axe above your head, as it can become lodged in debris and be difficult to remove.
- Off set/angle your body away from the work surface.
- Take short sideways strokes when cutting.

Backpack with pump and 5 litres of water to cool the fire.

- Put on backpack and secure straps.
- Test equipment prior to entering fire zone.
- Sweep nozzle along burning area to cool the fire.





Shovel to be used to smother the fire and remove fuel.

Pulaski axe is equipped with a cutting side and a grubbing side and is used to dig out grass, roots, and trench.

12. Assist external fire fighters

When the external fire fighters arrive, be prepared to assist them with information, equipment and manpower.

When fire fighters arrive they will take command of the situation, in which case control should be handed over and assistance provided.

13. Initiate Fire Watch

Assign an individual to maintain a watch on the area involved in the fire to ensure that the fire does not start up again.

Equip the individual with a two-way radio or cell phone. If a fire does start, report it to the Incident Commander before taking action to extinguish it.

Maintain the watch for at least four (4) hours – longer for larger, more involved fires, as determined by the Incident Commander.

14. Secure incident scene

Large fires usually result in an investigation conducted by provincial fire and occupational health and safety authorities, as well as by Inter Pipeline's insurance company. The incident scene must remain undisturbed until the investigators have finished their work.

Surround the scene with warning ribbon, and post signs to avoid having the area disturbed. Do not disturb any equipment, spilled materials, debris, etc. Leave them exactly where they lay. Ensure that nobody else disturbs the area.

If a camera is available, photograph the area from multiple angles.

Once leaving site of a firefighting event, if possible, change clothing prior to entering your vehicle. Remove outside clothing and store inside truck box or secured area until it can be laundered.



6.8.4 Missing Persons

A person will be deemed missing based on the criteria set out within the Working Alone Policy and procedures set out with use of working alone devices and/or other means.

Once an employee or employees are identified as missing:

- 1. Determine the person's likely location(s) and the likely route(s) to and from the location, if this information is not otherwise available via a working alone device, and/or other means.
- 2. Assign individuals to check each identified area and if necessary, to travel possible routes of travel to them. Ensure they have the ability to communicate their status via radio, cell phone, or otherwise. Record routes and locations that they will be checking.
- 3. If a period of over 4 hours has passed and employee has not been found, contact local police service(s). Record which departments and individuals spoken too.
- 4. Those assigned to this task should check in at intervals of no more than 30 minutes. Should a second employee go missing during the search inform others involved of the situation and have them muster at a known safe location so a reevaluation of the situation can take place. Contact local police service(s) and update them of the escalation.
- 5. If employee is found, responding employee is to perform a hazard assessment before approaching. (Stop Look Analyze and Manage). Once situational awareness is established, respond as necessary
- 6. If employee is found to be injured; see 6.3 Injury Response in the Emergency Response Plan



6.8.5 Pipeline contact

This procedure applies in the case of mechanical equipment making contact with an operating pipeline. Refer to the Ground Disturbance Standard for additional information.

- 1. Order all personnel in the immediate area to evacuate to an area of safety.
- 2. Stop all work on the site and cancel work permits.
- 3. Remove all sources of ignition in proximity to the location.
- 4. Report the incident to your Supervisor, who will report the incident to government authorities.
- 5. Observe the pipeline to determine the extent of the damage. Do this from the side of the excavation. DO NOT enter the excavation.
- 6. If the contact has or may result in a breach of the pipe and release of product, immediately contact the SPCC to shut down the line and proceed to close manual block valves upstream and downstream of the breach.
- 7. Check the air in proximity to the equipment for flammable vapours (LEL) using your gas detector. If none are detected, have the equipment operator back the offending piece of equipment away from the excavation.
- 8. If there was a release of product, implement the procedures in Section 6.5 of this manual.
- 9. Arrange with the Engineering and Pipeline Integrity Groups to examine the pipeline and affect any required repairs.



6.8.6 Power Line contact

This procedure applies in the case of mobile equipment making contact with an aboveor below-ground power line. Refer to the Guideline for Working Near Overhead Power Lines for additional information.

- 1. Order all personnel in the immediate area to evacuate to an area of safety at least 10 meters away. Do not allow anyone to come near the vehicle.
- Order the equipment operator to stay in the vehicle, unless it is unsafe to do so due to fire. Warning: DO NOT attempt to fight the fire if the power line is still energized.
- 3. If the operator must leave the vehicle because it is unsafe to stay, instruct him to jump from the vehicle using both feet, landing as far away as possible.
- 4. Stop all work on the site and cancel work permits.
- 5. Contact the power company to have them de-energize the line. Wait for confirmation that this has been done.
- 6. Report the incident to your Supervisor.
- Once the power company confirms that the line is de-energized, it will be safe to let the operator leave the vehicle, fight any resulting fires and address any other damage.
- 8. If the incident occurs in Alberta, report the incident to the company Electrical Quality Management Plan Coordinator, who will, in turn, report the incident to the Alberta government.

6.8.7 Severe Weather

If you get caught or stranded in severe weather, the following are some guidelines to help protect you:

- Stay where you are until the situation changes (if stranded in your vehicle, stay with the vehicle, and have the hood up to signal distress).
- Try to stay calm, warm, and dry.
- In lightning storms and tornadoes, stay away from windows and doors, and do not handle electrical equipment or telephones (i.e. use only battery powered appliances).
- During a tornado, if caught outdoors and away from a shelter, lie flat in a ditch or ravine and preferably holding onto the base of a small tree or bush.

6.8.8 Vehicle Collision

MOTOR VEHICLE Collision (SELF)

- If safe to do so, remain in the vehicle.
- Contact local emergency services (i.e. fire, ambulance, police) as required.



- Notify the Supervisor or a Field Operations Manager.
- Request to have deployed additional resources to the scene as required.
- Complete an Internal Vehicle Accident Report Form

MOTOR VEHICLE Collision (OTHER VEHICLES)

- Determine if there are injuries.
- Contact local emergency services (i.e. fire, ambulance, police) as required.
- If victims are at risk by remaining in vehicle, remove them to a safe area away from the vehicle.
- If safe to do so, carry out first aid treatment on victims.
- Notify the Supervisor or a Field Operations Manager.
- · Remain on the scene until dismissed by the Police.

6.9 Emergency Facilities

6.9.1 Emergency Coordination Centres

6.9.1.1 Corporate Emergency Coordination Centre (ECC)

The Corporate ECC is normally activated at the request of the site Incident Commander to provide overall strategic coordination and resource support. A supporting Emergency Coordination Centre should also be established whereby members of the site Incident Response Team can seek additional information and support from the company, such as additional personnel, specialized analysis, technology, etc.

The purpose of the Business Support Team is to address and resolve issues that arise, both on site and throughout the organization, that can only be addressed at the political /management level.

The Corporate ECC is located at **REDACTED**

6.9.1.2 Secondary Corporate ECC

Should the Primary ECC not be accessible or functional, the secondary location is at **REDACTED**

6.9.1.3 Tertiary Corporate ECC

A tertiary ECC is located **REDACTED**



6.9.2 Satellite ECC

The nearest District Office may be used as a Satellite ECC where members of the site Incident Response Team can seek additional information and support from the company, such as additional personnel, specialized analysis, technology, etc.

6.9.3 Incident Command Posts


An Incident Command Post (ICP) shall be set up for each emergency. The size, equipment, and personnel needs for each ICP shall be determined by the nature of the emergency. There will be only one ICP at the site.

The ICP is the focal point for where decisions are made and communications are sent out, it must be easily identifiable. The basic organizational structure of an ICP will be as shown below:



Incident Org Chart

Incident Command Post



There can be only ONE Incident Command Post for the incident. The ICP will be established in the Cold Zone. Establish appropriate signage.

- Directional signs indicating ICP location
- Signage at ICP (examples, not all are required)
 - o Command Centre or ICP sign
 - ICS flag for ICP
 - o Green light

Ensure appropriate resources and related facilities established

Common resources

- Communications phones, repeaters for cell phones, satellite phones, radios
- Computer laptop, tablet
- Printer
- Table for maps
- Whiteboards
 - o ICS structure Site and ECC
 - Deployment strategy
 - Resource tracking



6.9.4 Staging Areas

The primary objective of the Staging Area is to provide a location where equipment and personnel can be received and prepared for deployment to the spill site. The staging area also receives demobilized equipment returning from the field and prepares it for either remobilization or demobilization. The staging area is more than a physical location; it is a system to manage the resources that will be coming to the site. The staging area would ideally be located less than 5 minutes from the site.

Considerations for locating the staging area include:


- Proximity to site
- Good access to staging area for anticipated equipment (helicopter, roads)
- Enough area for manoeuvring equipment (more space is better)
- Space for maintenance, repair/refurbishment of equipment
- Space for storage of parts and fuel for equipment
- Decontamination area to ensure equipment going on site is clean
- Power (electricity or generators)

Resources / facilities

- Washrooms
- Tent/office for sign-in/out, etc.
- Forklift
- Truck
- Communications with ICP
- Mechanic/maintenance shop
- Fuel depot
- Heli-pad
- Lighting for night operations
- Decontamination area (for incoming equipment)

6.9.5 Decontamination Area

- Ensure area is in a safe, convenient location
- Select an area with easy access for removal of contaminated water/material
- Identify area with appropriate perimeter tape and signage
- Cover area ground with plastic sheet or tarps
- Consider having the following available
 - Kiddy pool for responders to stand in during decontamination
 - Warm water supply and detergents
 - Washing supplies including soap, brushes, portable showers





- Small tables and various sized containers
- Lined bins for waste material
- o Tent for protection from elements/changing

6.9.6 Other agencies

Municipal EOC/ECC

Depending on the nature of the emergency, either independently or in conjunction with the activation of the incident management structure, a local authority may activate its own EOC/ECC. It is important that a liaison role be established should this occur; with either a company representative going to the municipal EOC/ECC, vice versa, or both sending liaison officer to each other's EOC/ECC.

Provincial EOC/ECC

Either at the request of the company, municipality or of their own accord, the Province may activate it's EOC/ECC for the incident. The issue of ensuring liaisons are used (discussed under the Municipal EOC/ECC) holds true for this level as well.

Federal EOC/ECC

At the request of the Province the Federal Government may activate it's EOC/ECC. Liaison to this level would likely be done via the Provincial EOC/ECC.



7.0 EMERGENCY RESOURCES

7.1 Milk River Pipeline

Company equipment stationed at various locations and this equipment can be moved between pipelines should need dictate, as per the Emergency Response Equipment Sharing Policy.

7.1.1 Business Support Team

The Business Support Team is a team individuals that will be immediately activated during a Level 2 or 3 incident to man an Emergency Coordination Centre in support of the incident.

7.1.2 Crisis Management Team

The Crisis Management Team consists of company Executives (Sr. VP's and VP's that will manage continuity of operation issues that could affect the larger portion of the organization when an incident has occurred (i.e. reputational impact). They work in conjunction with the Business Support Team when it is activated.

7.1.3 Incident Management Teams

The Pipeline Incident Management Team is a team of individuals that will be immediately activated during a level 2 or 3 incident at the facility or site of the incident. The incident commander of the IMT will communicate with the ECC when activated.


7.1.4 Field Initial Response and Support Team

The Field Initial Response and Support Team (FIRST) is a team of individuals that will be immediately deployed to an incident to begin setting up the Incident Command Post and stabilizing the incident. This team is activated once an initial Emergency Level has been determined. This team, is available, can be deployed to any incident but is highly skilled in pipeline emergency response. FIRST reports into the site-level Operations Section Chief when deployed to site.

7.2 Western Canadian Spill Services (WCSS)

Milk River Pipeline Ltd. is a member in good standing with the Western Canadian Spill Services (WCSS), which is a spill cooperative between oil and gas companies.

The mandate of the WCSS is to ensure the provision of cost-effective, integrated, emergency response capabilities and to continually improve and communicate to members, stakeholders and regulators. This includes planning, preparedness / response, and research and development for the petroleum industry.





WCSS maintains an assortment of equipment, stationed throughout the province, which is accessible to members upon request.

To request WCSS equipment call the 24hr emergency line **REDACTED** and complete the equipment lease agreement found in Section 10 of the WCSS spill response plan.

Web site link: REDACTED

7.3 Other Personnel/Equipment


First step would be using the ERP of the impacted pipeline, then other pipelines if the impacted pipeline resources are unavailable or already used. If additional people or resources are required refer to Section 10 – Mutual Aid



8.0 CHECKLISTS AND POSITION AIDS

8.1 Incident Commander

pos	e following checklist should be considered as the minimum requirements for this sition. Note that some of the tasks are one-time actions; others are ongoing or petitive for the duration of the incident.	
	Ensure welfare and safety of incident personnel	
	Start recording activities/decisions on Activity log – ICS 214	
	Assess situation	
	Determine/confirm Emergency Level and ensure Regulators have been consulted	
	 (See 6.2) If Emergency Level is 2 or 3, ask your Manager to activate the Business Support Team. 	
	Start ICS form 201	
	Establish an Incident Command Post	
	 Establish organization by filling Command and General Staff positions (ICS 201). Confirm dispatch and arrival times of activated resources. Confirm work assignments. Ensure you sign into the ICP (ICS 211) 	
	Brief staff: Identify incident objectives and any policy directives for the management of the incident. Provide a summary of current organization. Provide a review of current incident activities. Determine the time and location of first Planning Meeting.	
	Coordinate with key stakeholders via: • Liaison officer – First Nations, Government agencies and municipalities • ECC • Public Information Officer – Media, Internal Staff • Land – Land owners • In-person	
	Deal with Media requests: • Media requests are to be sent to Corporate Communications.	





 Ensure Calgary Main Reception REDACTED and Corporate Communications are aware of the situation so calls can be handled appropriately

 Establish level of planning to be accomplished: Written Incident Action Plan (IAP) – ICS Form 201 Contingency planning. Formal Planning Meeting (Refer to Planning P).
Ensure Planning Meetings are conducted as indicated: After Operational Period, ensure <u>ICS 209</u> (Incident Status) is completed and sent to the appropriate Stakeholders (ECC, Regulators, etc.)

Sample Planning Meeting Agenda		
	Agenda Item	Responsible Party
1	Briefing on situation/resource	Planning/Operations Section Chiefs
	status.	
2	Discuss safety issues.	Safety Officer
3	Set/confirm incident objectives.	Incident Commander
4	Plot control lines & Division	Operations Section Chief
	boundaries.	
5	Specify tactics for each	Operations Section Chief
	Division/Group.	
6	Specify resources needed for each	Operations/Planning Section Chiefs
	Division/Group.	
7	Specify facilities and reporting	Operations/Planning/Logistics Section
	locations.	Chiefs
8	Develop resource order.	Logistics Section Chief
9	Consider communications/medical/	Logistics/Planning Section Chiefs
	transportation plans.	
10	Provide financial update.	Finance/Administration Section Chief
11	Discuss interagency liaison issues.	Liaison Officer
12	Discuss information issues.	Public Information Officer
13	Finalize/approve/implement plan.	Incident Commander/All



8.2 Safety Officer

	Start Activity Log – ICS 214
	Sign in to ICP on ICS 211 Form
	Obtain briefing from Incident Commander and/or from initial on-scene Safety Officer.
	Complete Safety Plan
□ Si •	taff and organize function, as appropriate: In multi-discipline incidents, consider the use of an Assistant Safety Officer from each discipline. Multiple high-risk operations may require an Assistant Safety Officer at each site. Request additional staff through incident chain of command.
□ Id	lentify potentially unsafe acts.
	lentify corrective actions and ensure implementation. Coordinate corrective action with Command and Operations.
□ E	nsure adequate sanitation and safety in food preparation.
□ D	ebrief Assistant Safety Officers prior to Planning Meetings.
□ Pa • •	articipate in Planning and Tactics Meetings: Listen to tactical options being considered. If potentially unsafe, assist in identifying options, protective actions, or alternate tactics. Discuss accidents/injuries to date. Recommend preventative or corrective actions.
□ Pa	articipate in the development of Incident Action Plan (IAP): • Complete ICS 215a Form
□ C	 Ensure accident scene is preserved for investigation. Ensure accident is properly documented. Coordinate with incident Compensation and Claims Unit Leader, agency Risk Manager, and jurisdictional Occupational Health and Safety. Prepare accident report as per agency policy, procedures, and direction. Recommend corrective actions to Incident Commander. oordinate critical incident stress, hazardous materials, and other debriefings, as necessary.



This page left intentionally blank



8.3 Liaison Officer





8.4 Public Information Officer

□ Start Activity Log – ICS 214 □ Obtain briefing from Incident Commander: Determine current status of Incident (ICS 209 or equivalent). Identify current organization (ICS 201). Determine point of contact for media (scene or Command Post). Determine current media presence. □ All media requests are sent to Corporate Communications REDACTED □ Ensure appropriate location for site media to gather (tent with signage). □ Assess need for special alert and warning efforts, including the hearing impaired, non-English speaking populations, and industries especially at risk for a specific hazard, or which may need advance notice in order to shut down processes. □ Coordinate the development of door-to-door protective action statements with Operations. □ Prepare initial information summary as soon as possible after activation.





8.5 Operations Section Chief

☐ Start Activity Log – ICS 214		
□ Obtain brie • • • •	fing from Incident Commander: Determine incident objectives and recommended strategies. Determine status of current tactical assignments. Identify current organization, location of resources, and assignments. Confirm resource ordering process. Determine location of current Staging Areas and resources assigned there.	
•	Operations Section to ensure operational efficiency, personnel safety uate span of control.	
	perational period, which is the timeframe to accomplish your s, normally 12-24 hour period. There may be many operational periods onse.	
□ Establish a Manager.	nd demobilize Staging Areas – Determine need for Staging area	
	erations Briefing and assign Operations personnel in accordance with action Plan (IAP): Brief Staging Area Manager on types and numbers of resources to be maintained in Staging. Brief tactical elements (Branches, Divisions/Groups, Task Force/Strike-Team Leaders) on assignments, ordering process, protective equipment, and tactical assignments.	
☐ Develop ar	nd manage tactical operations to meet incident objectives.	
☐ Assign ta: • • • •	sks Staging area Manager Public Safety Coordinator Air monitoring Roadblock supervisor Rovers	





8.6 Planning Section Chief

☐ Start Activity Log – ICS 214
 □Obtain briefing from Incident Commander: Determine current resource status (ICS 201). Determine current situation status/intelligence (ICS 201). Determine current incident objectives and strategy. Determine whether Incident Commander requires a written Incident Action Plan (IAP). Determine time and location of first Planning Meeting. Determine desired plans. Source control Containment Recovery Security Wildlife Decontamination
□Activate Planning Section positions, as necessary, and notify Resources Unit of positions activated.
□Establish and maintain resource tracking system.
□Complete ICS 201, if not previously completed, and provide copies to Command, Command Staff, and General Staff.
□Advise Incident Command Post (ICP) staff of any significant changes in incident status.
 □Compile and display incident status summary information. Document on ICS 209, Incident Status Summary (or other approved agency forms): Forward incident status summaries to Agency Administrator and/or other designated staff once per operational period, or as required. Provide copy to Public Information Officer.
 Obtain/develop incident maps. Ensure central map is established and information updated regularly.
□Establish information requirements and reporting schedules for ICP and field staff.





8.6.1 Scribe

Start	Activity Log – ICS 214	
Report to the Incident Commander		
Obtain briefing from IC		
Set out the Sign-In book		
Start and maintain Master Event Log		
	Record activities on appropriate forms	
	Situation review What happened? When? Injuries? Where? What's being done? Chance of situation escalating?	
	Attend briefings and planning meetings	
	Assist in completing after action assignments	
	Distribute minutes/reports accordingly	






8.7 Logistics Section Chief

☐ Start Activity Lo	g – <u>ICS 214</u>
Rev assiRevDetoEns	rom Incident Commander: iew situation and resource status for number of personnel gned to incident. iew current organization. ermine which incident facilities have been/should be activated. ure Incident Command Post and other incident facilities are sically activated, as appropriate.
☐ Confirm resource	e ordering process.
☐ Assess adequa	cy of current Incident Communications Plan (within ICS 201).
•	aff Logistics Section, as appropriate, and consider the need for , and Communication and Supply Units.
personnel: • Prov • Prov	and assign work locations and preliminary work tasks to Section vide summary of emergency situation. vide summary of the kind and extent of Logistics support the tion may be asked to provide.
☐ Notify Resource assigned person	s Unit of other Units activated, including names and location of onnel.







8.8 Finance/Administration Section Chief

☐ Start Activity Log – ICS 214

- Otan Monthly Log	100 211
☐ Obtain briefing fro	m Incident Commander

- Incident objectives.
- Participating/coordinating agencies.
- Anticipated duration/complexity of incident.
- Determine any political considerations.
- Obtain the names of any agency contacts the Incident Commander knows about.
- Possibility of cost sharing.
- Work with Incident Commander and Operations Section Chief to ensure work/rest guidelines are being met, as applicable.

☐ Obtain briefing from agency administrator:

- Determine level of fiscal process required.
- Delegation of authority to Incident Commander, as well as for financial processes, particularly procurement.
- Assess potential for legal claims arising out of incident activities.
- Identify applicable financial guidelines and policies, constraints and limitations.





8.9 Staging Area Manager


☐ Start Activity Log – ICS 214
 □ Obtain a briefing from Incident Commander or Operations Section Chief: Determine types and numbers of resources to be maintained in Staging. Receive and record information from Muster Station leaders Confirm process for requesting additional resources for Staging Area Confirm process for reporting status changes
☐ Proceed to Staging Area; establish Staging Area layout (apparatus and vehicles in Staging should face outward to ensure quick response, general principle of "first in, first out" should be maintained).
☐ Ensure efficient check-in and coordinate process with Planning Section Resources Unit Leader.
☐ Identify and track resources assigned to staging; report resource status changes to Operations or Command and Resources Unit.
☐ Determine any support needs for equipment, feeding, sanitation and security; request through Logistics.
☐ Post areas for identification and traffic control.
 □ Respond to requests for resources: • Organize Task Forces or Strike Teams, as necessary.
☐ Request additional tactical resources for Staging through Logistics, according to established staffing levels.
☐ Obtain and issue receipts for radio equipment and other supplies distributed and received at the Staging Area.
☐ Maintain Staging Area in orderly condition.
☐ Demobilize Staging Area in accordance with instructions.





8.10 Public Safety Group Supervisor

		firm the communication links with the Incident Commander and Operations ction Chief
	In co	onjunction with the Incident Commander, determine the size of the Emergency anning Zone (EPZ)
	0	Identify the residents, businesses, industrial operators, and/or transients in the area and determine the initial public protection measures to be taken
		onjunction with the Incident Commander, Planning Section Chief, and perations Section Chief, develop and implement an Incident Action Plan (IAP)
		iew resident lists, area user lists, reception centres, and telephone numbers hin the ERP
		gn personnel to assume the following positions as require, Air monitors, ception Centre Representatives, Roadblocks, Rovers and Telephoners The Telephoners must have sufficient personnel to accommodate the following ratios when contacting residents: 1 Telephoner to every 7 residents;
		and 1 Telephone Supervisor for every 10 Telephoners
	Disp	eatch Air Monitors at a Level 1 emergency (handheld and mobile)
	0	Dispatch trained personnel with the appropriate hand-held gas monitors to
		record concentrations at the nearest un-evacuated residences downwind of
		the incident site
	0	Mobilize third party mobile air monitoring units
	0	Maintain communications with Liaison Officer to ensure that the applicable
		government regulator and environment agency is updated based on air
_	0	monitoring needs and activities.
	eva	sult with the Operations Section Chief to determine the need for acuation/sheltering. This is based on air monitoring readings at the nearest wnwind residence.
	Con	sult with the Operations Section Chief on the need to ignite the plume, as
		o If the decision to Ignite the plume is made assign an Ignition Group Supervisor that is qualified with Vapour Plume Ignition
	Prio	ritize residents and area users in the EPZ to establish the order of evacuation.
		ordinate evacuation or shelter of residents, area users, and transients (via
	Tel	lephoners and Rovers).
	0	Determine who needs to be notified and what script will be usedEarly
		Notification, Voluntary Evacuation Message, Shelter-in-place phone
		message, Evacuation Phone Message
	0	At a Level 1 Emergency it is required to notify any sensitive residents and give
		them the option to evacuate
	0	If residences are evacuated, a reception centre must be established
	0	Determine and notify landowner/occupants(s) as soon as possible.
	0	Ensure the schools/school buses are contacted to make arrangements for school age children






	Sen	d Rovers (if required) to identify human activity in the area which is not
	alr	eady identified within the ERP (drilling, pipeline construction, logging, hunting,
	far	ming, camping, fishing, etc.)
	0	Prepare Evacuation Notices and provide copies to Rovers
	0	Rovers can be used to assist with notifications, assist with evacuating special
		needs residents, assist with air monitoring, etc.
		ermine the need for helicopters to identify human activity in the area
	(ke	ermine the need for a location for Roadblocks to isolate and secure the areas. eep in mind you are only able to block roads on company property) if a
	mι	unicipal or federal road way requires blocking contact the local police
	0	Ensure all Roadblock personnel are properly trained and have appropriate
		roadblock kits
	0	Ensure all Roadblock personnel have the legal authority to restrict access to
		the area.
	Ag	ess public impact outside of the EPZ (refer to Section 9 – Contacts External encies to determine what assistance local authorities can provide for public otection outside the EPZ.
П	•	ularly update the Incident Commander
	_	firm communication links with the Air Monitors, Reception Centre,
_	Ro	padblocks, Rovers, and Telephoners. Personnel should check in at scheduled ervals.
	Rev	iew and confirm evacuation of residents, area industrial users, transients, etc.
		m the area
		uest that a Notice to Airmen (NOTAM) be issued to restrict the airspace ove the EPZ
	Onc	the emergency is over, the area residents, transients, industrial users, volved government agencies, and any individual notified will need to be ormed of the "all clear" by the Public Safety Group Supervisor.



8.11 Reception Centre Supervisor

Ш	Obta	ain inci	dent briefing
		nologi <u>214</u>	ically document all actions, decisions, contacts and requests on their
			ception centre is available for use
			ing a reception centre
		•	Reception Centres are usually located in schools, hotels/motels, or community halls
			It may be useful to coordinate the location of the Reception Centre with
			the local authority (city, town, county, M.D. etc.)
			See predefined Reception Centres in your area
_	Conf	-	·
			mmunications link with Public Safety Group Supervisor
ш			eception centre e you have enough staff to handle the needs of all the evacuees
			evacuees to vent their emotions
			t make any promises that cannot be kept
		-	ot to reunite families as quickly as possible
			nent the details of anyone who may have trouble coping with the incident
			t they can be given proper psychological support
			or whether residents that have been contacted by the Telephoners,
			s, and Roadblock personnel have checked in at the Reception Centre.
			vacuees and maintain a Reception Centre Registration Log
		_	r food and accommodations for the evacuees
Ц			d follow-up on all evacuees who choose to make their own
_			odations arrangements
	pro	perty	r temporary care of livestock (if possible) and the security of evacuated
			and oversee compensation administration activities at the reception
_	cen		
	on	a Resi	evacuees for their immediate out-of-pocket expenses and log details ident Compensation Log
	live	stock,	sible, provide evacuees with information regarding their property, and the incident
	Forw	ard al	I media and incident inquiries to the Information Officer
			names of evacuees who have registered at the reception centre to the fety Group Supervisor
		ess re	sident concerns and forward them to the Pubic Safety Group or
			cident is over, participate in the incident debrief





8.11.1 Reception Centre

Ц	Have a conference room of some type where a large number of people can gather
	Have conferencing services including fax machine, internet access, and phone access
	Be large enough to house all of the evacuees Be outside of the hazard area
	Allow Residents to evacuate to the Reception Centre without travelling through the hazard zone
	Allow pets



8.12 Telephoners


 □ Chronologically document all actions, decisions, contacts and requests on th ICS 214 □ Establish telephone area □ Confirm communications link with the Reception Centre Supervisor □ Confirm resident contact lists are available □ In conjunction with the Public Safety Group Supervisor, determine who need be notified (residents, businesses, areas users, etc.) 	
□ Confirm communications link with the Reception Centre Supervisor□ Confirm resident contact lists are available□ In conjunction with the Public Safety Group Supervisor, determine who need	s to
□ Confirm communications link with the Reception Centre Supervisor□ Confirm resident contact lists are available□ In conjunction with the Public Safety Group Supervisor, determine who need	s to
 □ Confirm resident contact lists are available □ In conjunction with the Public Safety Group Supervisor, determine who need 	s to
, , , , , , , , , , , , , , , , , , , ,	s to
be notified (residents, businesses, areas asers, etc.)	
□ Review with the Public Safety Group Supervisor the telephoners script to be Early Notification/Voluntary Evacuation Message, Shelter-in-place phone message, Evacuation Phone Message	
 Contact sensitive residents at a Level 1 Emergency and provide them with the option to evacuate 	
Call area residents located within the EPZ to advise them of the shelter in pla evacuation and record their information	ace or
□ Contact the schools/school buses to make arrangements for school age child (if applicable)	dren
 Advise that buses in the affected area leave immediately and that buses s not enter the area 	hould
 Request a school administrator for the reception centre to assist in man children and releasing them to their guardians 	aging
☐ Receive calls from evacuated residents and record their information	
☐ Record and follow-up on all evacuees who choose to make their own accommodations arrangements	
☐ Where possible, provide evacuees with information regarding their property, livestock, and the incident	
Document all resident interactions using the Resident Contact Log and repor information to the Public Safety Group Supervisor. Immediately advise then about unsuccessful contacts and any residents requiring assistance	
☐ Forward all media and incident inquiries to the Information Officer	
☐ Forward all media and incident inquines to the information emiser. ☐ Address resident concerns and forward them to the Reception Centre Super	visor
☐ After the incident is over, participate in the incident debrief	





8.13 Road Block Unit Leader


	Obt	ain incident briefing
		onologically document all actions, decisions, contacts, and requests on their
		S 214 (Refer to Section 12 – Forms)
		ow the scripts and procedures
Ш		onjunction with the Public Safety Group Supervisor determine the need for
_		d location of roadblocks
		kup and check roadblock kits
		ceed to roadblock locations
		firm communications links with Public Safety Group Supervisor ermine location(s) that Road blocks should be established:
	Det	Approximately where the EPZ intersects any highways/roads
		Outside of the hazard area
	•	At a conspicuous location where the Roadblock personnel will be visible to
		approaching traffic, providing them with enough time to safely stop
	•	At a location where traffic can easily turn around or detour (consider the
		potential for larger vehicles such as buses, semi-trailers, drilling rigs, etc.)
	•	Where possible at natural roadblock locations (e.g. gates, bridges, junctions
		etc.)
	Bef	ore leaving to the roadblock
	0	Make sure your vehicle is equipped and suitable for the travel conditions
	0	Check roadblock kit to confirm all items are present
	0	Confirm that your handheld monitor for H2S and/or LEL is functioning properly
	0	Check all communications devices
	0	Check that the red signaling baton flashlight is working and has spare batteries
	0	Confirm that you have enough copies of the Roadblock log form
	0	Confirm the location of the roadblock with the Public Safety Group Superviso
		and make sure you have a safe route to the assigned location that does no
		cross the hazardous area
	Esta	ablish roadblocks to secure the EPZ
	0	Park vehicle on an angle blocking the lane entering the EPZ
	0	Put on a reflective vest
	0	Take a reading with your personal air monitoring device for H2S and/or LEL
	O	ensuring your roadblock is not too close to the edge of the EPZ. Record
		readings on the Air Monitoring Log.
		Notify the Public Safety Group Supervisor once your roadblock is set up.
	0	Continue to monitor and record H2S and/or LEL levels at scheduled intervals
	0	
		Report to the Public Safety Group Supervisor at scheduled intervals
	0	Maintain roadblock until the emergency is over and the "all clear" message is
		given or until relieved by other Roadblock personnel.
		nitor area for H2S and/or LEL with personal monitors and document readings
_		the Air Monitoring Log
Ш	кер	port all reading changes/increases to the Public Safety Group Supervisor





		BR-RM-PLN-0019 Rev. Milk River Pipeline Ltd. ERI
	For	your own safety, ensure the Public Safety Group Supervisor is notified
		imediately if readings are approaching 10% LEL and/or 10 ppm H2S.
		cord all incoming and outgoing traffic, personnel, and equipment on the
	Ro	padblock Log
	0	When talking to motorists at the roadblock, only provide them with the
		information as directed by the Public Safety Group Supervisor
	0	Ask for identification prior to granting access
	0	You do not have the legal authority to restrict access to the area without ar
		order from the relevant authority. Report any person who chooses to proceed
		without permission, through the roadblock
	0	Check with the motorists and ensure all members of their residence are
		accounted for and documented on the Resident Contact Log Form. Report any
		resident that is left behind in the EPZ.
	0	The roadblock should be setup to allow optimal visibility and sufficient distance
		for traffic to come to a safe and complete stop.
	0	Roadblock personnel should be highly visible on the side of the road and have
		an escape route in case of an emergency.
	0	Do not leave your position until you are directed to do so.
	Wh	en stopping traffic:
	0	Hold the reflective stop/slow paddle erect an away from your body. Never wave
		the sign.
	0	Look directly at the approaching driver
	0	Raise your free arm with the palm of your hand exposed to the driver
	0	Bring the vehicle to a full stop
	0	After the first vehicle has stopped, move to a spot (near the centre line of the
		roadway) where you can be seen by other approaching vehicles
	0	Because visibility is reduced at night, it is important that you use utmost care
		when stopping traffic through a roadblock area, and that you protect yourself
		from injury by:
		 Standing in a safe position on the shoulder of the road.
		 Waving the red signaling baton flashlight back and forth
N I -	4	
		The red signalling baton flashlight should only be used in place of the reflective
StC	p/si	ow paddle at night or in conditions of low/poor visibility.
	For	ward information given to you by people passing through your location to the
_		ublic Safety Group Supervisor.
		intain roadblock locations. Do not leave until requested to do so by the Public
		afety Group Supervisor or until relieved by other Roadblock personnel
	Afte	er the incident is over, participate in the incident debrief

Note: The company should receive authorization from local authorities or the RCMP before establishing roadblocks on public roads. In Alberta, the company must contact





the RCMP and Alberta Transportation to have a highway closed (e.g. Hwy 2, Hwy 63, Hwy 567). However, if the safety of the public is in jeopardy, the company must be prepared to quickly restrict access to the area before contacting these agencies. If warranted, the regulatory agency can issue a Closure Order that provides leg authority to close the area.

The following information should be provided to RCMP, the transportation/highwa authorities, and the local authority when they are contacted:
 ☐ The nature, location and extent of the emergency ☐ Suggestions where the roadblocks should be located ☐ Windspeed and direction ☐ Number of people living within the site-specific emergency planning zone.






8.14 Rovers

☐ Obtain incident briefing
☐ Chronologically document all actions, decisions, contacts and requests on their ICS 214
☐ Confirm communications links with Public Safety Group Supervisor ☐ Confirm resident contact lists are available ☐ Know safe routes in and out of the EPZ
☐ In conjunction with the Public Safety Group Supervisor determine the area within the EPZ that has been sheltered in place or evacuated
☐ Before leaving ensure:
 you are equipped with all necessary equipment:
SCBA
 Personal gas monitors
 Mobile communications or other form of communication
Forms
Vehicle (4x4) with full tank of fuel
Map(s)
 Confirm that your handheld monitor for H2S and/or LEL is functioning
properly
 Confirm that you have enough copies of the Evacuation Notice
 Confirm your assignments with the Public Safety Group Supervisor and
make sure you have a safe route to the assigned location that does not cross
the hazardous area.
☐ Search for residents and transients in the Emergency Planning Zones
☐ Check all buildings including barns, shops, sheds, etc.
☐ Assist, as required, with the notification, evacuation or sheltering of persons within the EPZ.
 Ask if they will require evacuation assistance and arrange additional
transportation assistance if necessary
Make sure they are all accounted for
 Ensure they gather any supplies they will need for the next 24 – 72 hrs.
(medicines, baby food, diapers, etc.)
 If they are able to transport themselves to the Reception Centre provide them
with directions that will keep them away from the hazard

- If they are not able to transport themselves, request transportation for them to the Reception Centre or deliver them there yourself.
 - On the way to the Reception Centre, notify the Public Safety Group Supervisor of your progress and estimated time of arrival at the Reception Centre
 - Ensure that the residents check in at the Reception Centre before you leave for your next assignment
- Ask them if they have any questions





- Provide them with your name and contact information in case they need assistance later
- o Report to the Public Safety Group Supervisor


Note: Response personnel cannot force the evacuation or restrict access to the area unless proper authority has been granted. The authority for forced evacuations is gained only through the declaration of a State of Local Emergency by the local authority.

☐ Record all contact with residents using the Resident Contact Log	
☐ Post evacuation notices for residents that are not at their residence	
☐ Follow the scripts and procedures (Refer to Section 12 – Forms)	
☐ Monitor area for H2S and/or LEL with personal monitors and document readings	
on the Air Monitoring Log	
☐ Report all reading changes/increases to the Public Safety Group Supervisor	
□ For your own safety, ensure the Public Safety Group Supervisor is notified immediately if readings are approaching the following levels: 10 % LEL and/or 10 ppm H2S	
□ Report any suspicious behaviour to the Public Safety Group Supervisor who will notify the police as required	
☐ Report back all information gathered to the Public Safety Group Supervisor	
☐ Assist with post incident activities	




8.15 Air Monitor Group Supervisor

☐ Obtain incident briefing☐ Chronologically document all actions, decisions, contacts and requests on their
 □ Confirm communications links with Public Safety Group Supervisor □ Obtain and check equipment an information (maps, forms, communications, reports, monitors, safety, and breathing equipment) □ In conjunction with the Public Safety Group Supervisor determine the area where air monitors need to be located □ Using your map and the current wind conditions, travel downwind, with priority being directed to the nearest unevacuated residence or area where people may be present □ Confirm the location with the Public Safety Group Supervisor and make sure you have a safe route to the assigned location that does not cross the hazardous are.
Note: HVP Product Release
 Monitoring may occur downwind or upwind depending on how the plume is tracking, with priority being directed to the nearest unevacuated residence or areas where people may be present.
 The licensee is expected to provide monitored HVP product LEL information on a regular basis throughout the emergency to the relevant government regulator, environmental agency, health authority, local authorities, and on request to the public.
 ☐ Use the buddy system where possible ☐ Be prepared to don breathing apparatus quickly ☐ Ensure all personnel have personal gas monitor ☐ Monitor closest downwind public location or residence ○ Speed and direction of wind may vary, therefore, be prepared to track gas plume
☐ Monitor environment for adverse effects ☐ Monitor area for H2S and/or LEL with personal monitors and record readings on the Air Monitoring Log ○ Concentration in ppm or ppb ○ Location and time of reading ○ Wind speed and direction
☐ Record notifications to the Public Safety Group Supervisor of any significant changes
 □ Report all H2S and/or LEL reading changes to the Public Safety Group Supervisor □ For your own safety, ensure the Public Safety Group Supervisor is notified immediately if readings are approaching the following levels: 10% LEL or 10 ppm H2S





 □ Prepare Mobile monitoring plan □ Follow the scripts and procedures (Refer to Section 12 – Forms) □ Participate in debrief 	
8.15.1 Air Monitoring Equipment	
Air Monitoring equipment is used to:	
 □ Track the plume □ Determine if ignition criteria are met □ Determine whether evacuation and/or Shelter-in-place criteria have □ Assist in determining when the emergency can be downgraded □ Determine roadblock locations □ Determine concentrations in areas being evacuated to ensure that exafe 	






8.16 Ignition Unit Leader

☐ Consult with the Public Safety Group Supervisor on the need to ignite a plume
☐ Consult with the Reception Centre Supervisor regarding the evacuation of
residents, if required in order to conduct the ignition
☐ Check equipment to ensure it has not expired and is functional (i.e. flares, flare
gun)
☐ Participate in incident debriefings



This page has been intentionally left blank





8.17 Activation Checklist

☐ Assess the incident
☐ Determine emergency level (See Section 6.2)
☐ Call appropriate personnel (ex: supervisor)
☐ Activate the ERP if required
☐ GM or Sr. VP will activate the Business Support Team if required
8.18 Demobilization Checklist
☐ Any change in Emergency Level must be done in consultation with the Regulator.
 Deactivate your assigned position and close out logs when authorized by the Emergency Director.
☐ Complete all required forms, reports, and other documentation. All forms should
be submitted through your supervisor to the Documentation Unit in the
Planning/Intelligence Section, as appropriate, prior to your departure.
☐ Be prepared to provide input to the after-action report.
☐ If another person is relieving you, ensure they are thoroughly briefed before you
leave your workstation.
☐ Clean up your work area before you leave.
☐ Leave a forwarding phone number where you can be reached



This page intentionally left blank.



9.0 CONTACTS

9.1 BST/CMT/IMT/FIRST

A list of 24-hour contacts for members of the Inter Pipeline Business Support Team, Crisis Management Team (executives), Pipeline Incident Management Team, and Field Initial Response and Support Team will be kept in a Contact List binder in the Primary, Secondary, Tertiary ECC's as well as in the Everbridge system. Notification should go out via Everbridge as the primary means of notification, but if the system is down manual phone calls can be made.

9.2 District Offices

REDACTED

9.3 Business Continuity/Emergency Management Advisors

REDACTED

9.4 **Security Advisor**

REDACTED

9.5 Environmental Specialists

REDACTED

9.6 Health and Safety Specialists

REDACTED


9.7 Taber (Milk River Pipeline) – Staff and Office Phone List

REDACTED

9.8 Pipeline/Facility Management – Staff an Office Phone Numbers

REDACTED

9.9 Federal Government Contacts





9.10 Alberta Government Contacts



9.11 Municipal Contacts

REDACTED

9.11.1 Reception Centers

REDACTED

9.12 First Nations and Trappers

REDACTED

9.13 Schools/School Divisions

REDACTED

9.14 Alberta Irrigation Projects Association (AIPA)

REDACTED

9.15 Key Numbers

REDACTED

9.16 Contractors and Consultants

REDACTED

9.17 Trucking companies unloading at Milk River

REDACTED


9.18 Key Contractors

REDACTED

9.19 Response Equipment

REDACTED

9.20 Manpower and General Equipment





9.21 Public Utilities

REDACTED

9.22 Shipper/Producer contacts

REDACTED

9.23 External Company Contacts 24 Hour Emergency



10.0 MUTUAL AID

10.1 Milk River Pipeline Ltd.

The company has equipment stationed at various locations and this equipment can be moved between pipelines should need dictate.

10.2 Industry Mutual Emergency Assistance Agreement

Inter Pipeline is a member of a Mutual Emergency Assistance Agreement (MEAA) with ATCO Pipelines, Pembina Pipeline Corporation, Plains Midstream Canada, TransCanada Pipelines Ltd., TransGas Ltd./Sask. Energy, Transmountain Corporation, Trans-Northern Pipelines Inc., Wolf Midstream Inc., and Wolf NGL. We can request resources or be requested for resources from or by these companies in a time of need via use of this document. The agreement can be found **REDACTED**

Inter Pipeline also can request or receive requests from non-members of this agreement via use of the Emergency Assistance Agreement (EAA) which is a supporting agreement that allows for use of the Mutual Emergency Assistance Agreement via non-members.

This supporting agreement can also be found **REDACTED**

10.3 Western Canadian Spill Services (WCSS)

Milk River Pipeline Ltd. is a member in good standing with the Western Canadian Spill Services (WCSS), which is a spill cooperative between oil and gas companies.

The mandate of the WCSS is to ensure the provision of cost-effective, integrated, emergency response capabilities and to continually improve and communicate to members, stakeholders and regulators. This includes planning, preparedness / response, and research and development for the petroleum industry.

WCSS maintains an assortment of equipment, stationed throughout the province, which is accessible to members upon request.



This page left intentionally blank



11.0 FORMS

11.1 ICS 214 - Activity Log

1.Incident Name:		2.Operational Period:	Date from: Time from:		Date to: Fime to:
3.Name:		4.ICS Position:	Time nom.		Agency/location:
6.Resources Assi	aneq.				
Name	griou.	ICS Position		Home Ad	gency/location
				•	,
7 Activity Log:					
7.Activity Log: Date/Time	Notable a	ctivities (list action	who call is to	or from .co	intact number)
Date/Time	Notable a	cuvilies (list action	i, wild call is to	or morn, co	intact number)
6.Prepared by:	Name:		Position:	Si	gnature:
ICS 214, Page	of		Date/Time:		•



This page intentionally left blank.




11.2 ICS 201 - Incident briefing


1.Incident Name: 2.Incident location: 3.Date/Time Initiated: Date: Time: 4.Map/Sketch (include facilities, zones, area of impact and resource locations) 5. Situation Summary and Safety Briefing (for briefings or transfer of command): Recognize potential incident Safety hazards (high level). Refer to Safety Plan for specifics: 6.Prepared Name: by: CS 201, Page 1 of 4 Position: Signature:	Incident Briefin	ng (ICS 201)			
5. Situation Summary and Safety Briefing (for briefings or transfer of command): Recognize potential incident Safety hazards (high level). Refer to Safety Plan for specifics: 6.Prepared Name: Position: Signature:			2.Incident	location:	Date:
potential incident Safety hazards (high level). Refer to Safety Plan for specifics: 6.Prepared Name: Position: Signature:	4.Map/Sketch	(include facilities	s, zones, ar	ea of impact and re	source locations)
potential incident Safety hazards (high level). Refer to Safety Plan for specifics: 6.Prepared Name: Position: Signature:					
potential incident Safety hazards (high level). Refer to Safety Plan for specifics: 6.Prepared Name: Position: Signature:					
potential incident Safety hazards (high level). Refer to Safety Plan for specifics: 6.Prepared Name: Position: Signature:					
potential incident Safety hazards (high level). Refer to Safety Plan for specifics: 6.Prepared Name: Position: Signature:					
potential incident Safety hazards (high level). Refer to Safety Plan for specifics: 6.Prepared Name: Position: Signature:					
potential incident Safety hazards (high level). Refer to Safety Plan for specifics: 6.Prepared Name: Position: Signature:					
potential incident Safety hazards (high level). Refer to Safety Plan for specifics: 6.Prepared Name: Position: Signature:					
potential incident Safety hazards (high level). Refer to Safety Plan for specifics: 6.Prepared Name: Position: Signature:					
potential incident Safety hazards (high level). Refer to Safety Plan for specifics: 6.Prepared Name: Position: Signature:					
potential incident Safety hazards (high level). Refer to Safety Plan for specifics: 6.Prepared Name: Position: Signature:					
potential incident Safety hazards (high level). Refer to Safety Plan for specifics: 6.Prepared Name: Position: Signature:					
potential incident Safety hazards (high level). Refer to Safety Plan for specifics: 6.Prepared Name: Position: Signature:					
potential incident Safety hazards (high level). Refer to Safety Plan for specifics: 6.Prepared Name: Position: Signature:					
potential incident Safety hazards (high level). Refer to Safety Plan for specifics: 6.Prepared Name: Position: Signature:					
potential incident Safety hazards (high level). Refer to Safety Plan for specifics: 6.Prepared Name: Position: Signature:					
potential incident Safety hazards (high level). Refer to Safety Plan for specifics: 6.Prepared Name: Position: Signature:					
potential incident Safety hazards (high level). Refer to Safety Plan for specifics: 6.Prepared Name: Position: Signature:					
potential incident Safety hazards (high level). Refer to Safety Plan for specifics: 6.Prepared Name: Position: Signature:	E Situation S	ummary and Sa	ofaty Priofin	a (for briggings or	transfer of command): Paccanize
6.Prepared Name: Position: Signature:					
	'	,	` ` `	,	•
	6 Prepared	Name:		Position:	Signature:
ICS 201, Page 1 of 4 Date/Time:			'	COMOTI.	
	ICS 201, Page	e 1 of 4		Date/Time:	



Incident Briefin	g (ICS 201)			
1.Incident Name	e:	2.Incident	location:	3.Date/Time Initiated:
				Date:
				Time:
7.Current and I	Planned Objecti	ives:		
9 Current and I	Planned Actions	Stratogia	s and Tactics:	
	Actions:	s, Strategie	s, and ractics.	
Tillie.	ACIONS.			
6.Prepared	Name:		Position:	Signature:
			F USILIUH.	Signature.
by: ICS 201, Page	2 of 4	Date/Time:		
100 201, Fage	<u> </u>		שמוט/ דוווול.	










BR-RM-PLN-0019 Rev. 6 Milk River Pipeline Ltd. ERP

6.Prepared	Name:				Position:			Signature:	
by: ICS 201, Page									
ICS 201, Page	e 3 of 4				Date/T	ime:			
Incident Briefi	ng (ICS 201)						-	
1.Incident Name: 2.Incide			2.Incidei	nt lo	ocation:				3.Date/Time Initiated: Date: Time:
10.Resource S	Summary								
Resource	Resource Identifier	Date orde	e/Time ered		ETA	Arrived	Notes	ocation/assignment/status)	
6.Prepared Name:					sition:			Si	gnature:
by: ICS 201, Page 4 of 4			Date/Time:						



11.3 ICS 209 - Incident Status Summary

Incident Status Summary (ICS :	209)												
1.Incident name:					2.	Incident	location	on:					
3.Report Version (check)	4. I	ncider	nt		5.	5.Incident Start 6.Current incident							
☐ Initial Rpt#	Commander and			d		Date:			size or area involved:				
☐ Update (if used):	age	ency.			Ti	me:							
□ opuate · · ·													
☐ Final													
7.Incident Contained or		Multipl				Unified of	or Sing	gle			period	:	
Escalating	ope	eration	al site	s?	CC	ommand			From:				
44 Dranguad h.v.	NI-				10	· · · · · · · · · · · · · · · · · · ·			To:				
11.Prepared by:		me: me:				S position			Tin Tin				
12.Approved by: 13.Distribution	To:				IIC	o positio	JII.		Tim				
Incident location information	10.								1 1111	ie.			
14.Province:	15	luried	iction:		16	S.Neares	t City/	Town:	17	Shor	t descri	ntior	<u>. </u>
14.F10VIIICE.	13.	Julisu	iction.		').INEAIES	it City/	TOWII.			m North		١.
										wn A		1 01	
										, .	,		
18.Location Ownership:	19.	Longi	itude:		20).LSD:			21.	GPS	:		
·		Latitu											
22.Area description:													
Incident Summary													
23. Significant events for time p	erio	d repo	orted (p	orog	ress	made, e	vacua	ations, incide	ent g	rowth	n or red	uctic	n,
etc.)													
24. Primary Materials or Hazard						Τ_		T _					
25. Damage Assessment Inform			A. St			,							
(summarize damage and/or res			Sumr	mary	'			damaged					
of use or availability to residenti commercial property, natural re			F 0:	! -		(72 ho	urs)						
critical infrastructure, etc.)	Sour	L C S,	E. Sin										
Citical initiastructure, etc.)			F. No		53								
			reside		al								
			prope		••								
			Othe		or								
			struct										
			Othe	r									
Additional incident decision sup	port	inform	ation										
26. Public Status Summary		# TI	nis T	otal	27	7. Res	ponde	er Status	# T	his	Total	#	to
		perio	d #	to	Sı	ummary			per	iod	date		
			d	ate									
Fatalities						atalities							
With injuries/illness						ith injuri							
Trapped/in need of rescue							need	of rescue					
Missing					M	issing							
Evacuated													
Sheltering in place													
In temporary shelters					+-	atal ras-	0 D d 0 =	o offootod.					
Total civilians affected:	Nic	ma:						s affected:	<u> </u>				
Prepared by:	Naı	me:		1	ositi	UN:	Sign	ature:					
ICS 209, Page 1 of				D	ate/	Time:							





Incident Statu	s Summary (ICS 209)								
1.Incident nan				nt location:					
28. Life, Safet	y, and Health Status/Threats	Remarks:	29. Life, and Hea Manager	Ith Threat	Check if Active				
			No Likely	/ Threat					
			Potential						
			in progre						
			Mass no done	tifications					
			No evaci						
	oncerns (current and predict actors that may cause conce		Planning evacuation						
		,		n place in					
			Reception	n centre					
				triction in					
			Oncot						
	incident activity, potential, mational period and in 12-, 24-				nd influencing factors during				
12 hours:									
24 hours:									
48 hours:									
72 hours:									
Anticipated af	ter 72 hours:								
32. Strategic 0	Objectives (define planned en	nd-state for i	incident):						
6.Prepared	Name:	Position:		Signature:					
by:				Signature.					
ICS 209, Page 2 of Date/Time:									





Incident Statu	s Summary (ICS 209)		
1.Incident nan			nt location:
33. Values at	Risk: include communitie	es, critical infrastructu	re, natural, and cultural resources in
	d 72 hour time frames:		
12 hours:			
24 hours:			
48 hours:			
72 hours:			
34. Critical Re	source Needs (amount	type, kind, and numb	er of operational periods in priority
	4, 48 and 72 hour time fra		
0.002, 2	., a a	(.,, (0),
12 hours:			
24 hours:			
24 Hours.			
40 hours			
48 hours:			
72 hours:			
6.Prepared	Name:	Position:	Signature:
by:			
by: ICS 209, Page	e 3 of	Date/Time:	
	*	1	




This page intentionally left blank.



11.4 ICS 211 - Incident Check in

INCIDENT CHECK-IN LIST (ICS 211)

1. Incident Name: 2. Incident Number:				3. Check	3. Check-In Location (complete all that apply):						4. Start						
					Base	Staging Area	☐ ICP		Helibase	Other	Date/ Date:						
					С	heck-In	Inforn	nation	(use reve	rse of form for r	emarks or	com	ments)				
5. List single resource personnel (overhead) by agency and name, OR list resources by the following format:			Check-In	Name	ber of	Contact	Home Unit or Agency	12. Departure Point, Date and Time	ıf Travel	Incident Assignment	Other Qualifications	vided to					
Province	Agency	Category	Kind	Type	Resource Name or Identifier	ST or TF	6. Order Req	6. Order Request # 7. Date/Time Check-In	8. Leader's	9. Total Number of Personnel	10. Incident Contact Information	11. Home Un	12. Departur and Time	13. Method of Travel	14. Incident	15. Other Qu	16. Data Provided to Resources Unit
ICS 211 17. Prepared by: Name: Position/Title:						Sign	ature:		Da	te/Time: _							






This page left intentionally blank




11.5 ICS 215 Operational Planning Worksheet

OPERATIONAL PLANNING WORKSHEET		1. INCI	DENT	NAME	:						2. DATE PREPARED Time Prepared					3. OPERATIONAL PERIOD (Date/Time)				
4. DIVISION, 5. WORK GROUP OR ASSIGNMEN				6. RESOURCES BY KIND AND TYPE								7. REPORTING LOCATION	8. REQUESTED ARRIVAL TIME							
OTHER LOCATION			1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4		
		Req.																		
		Have																		
		Need																		
		Req.																		
		Have]	
		Need																		
		Req.																		
		Have																		
		Need																		
		Req.																	_	
		Have																	_	
		Need																		
		Req.																	-	
		Have																	_	
		Need																		
9. TOTAL RESOUR	CES	Req.																	Prepared by (Name	and Position)
		Have																		
		Need																		





This page left intentionally blank





11.6 ICS 215a Incident Action Plan Safety Analysis

1. Incident Name:			2. Incident	t Nur	mber:		
3. Date/Time Prep	pared:	4. Operational	Period: Date From: Date To:				
Date:	-				Time To:		
5. Incident Area	6. Hazards/Risks			7.	Mitigations		
8. Prepared by (Sa	nfety Officer): Name:	_		S	ignature:		
Prepared by (O	perations Section Chief):						
ICS 215A		Date/Time:					




This page left intentionally blank



11.7 Initial Response Form


Obtain information from whoever took the initial call (ex: Control room)

Date:		Time:	am/pm
INITIAL REPORT			
Caller's name:			
Affiliation: Emplo	oyee Public	Contracto	or
Caller's Phone: ()		Alternate Phone: ()
Caller's present location:			
Time incident first observed:	am/	om By whom?	
Call received by:		Location:	
LOCATION OF THE EMERG	SENCY		
Facility Name:			
LSD: Sub Sec: Sec	: Twp: Rge:	W M	
GPS:			
Area is: Re	mote Lightly Po	pulated F	leavily Populated
Distance to nearest residents	<u>.</u>	km In w	hat direction:
Terrain is: Flat	Sloped	Rolling We	t Dry
Ground Cover: Crop	Grassland	Forest Bus	sh Watercourse
Soil Type:			
Access is:Easy	Difficult Best Access:	RoadATV	Air Boat
-			
TYPE OF EMERGENCY Spill / Leak Fire Injury	Threat Vehicle/Aircraft	Other:	
Describe people / equipment			
Describe people / equipment	property involved.		
Situation is: Stable	Unstable (could get	Emergency Level:	
WEATHER CONDITIONS			
Weather conditions:	Clear Clor	ıdy Raining	Snowing Fog
Wind speed:	Calm Ligh	t Medium	Strong
Wind direction from:	N NW W	SW S SE	E NE
Temperature:			
Weather Forecast:			





IF A LIQUID (OIL) SPILL:				· ·	
Type of product spilled:					
Size of spill area:					
Spill to: Land Only	Lan	d & Water	Wate	r Only	
Size of area covered by spill (estimated)					
Spill is migrating to: Farmland	Dwellings	River/Creek	Highway	s/Roadways	Muskeg
Will spill enter water body?	No	Yes	Estimate	d Time	(hours)
Name / description of involved / threatene	d water body:				
Near Village/Town/City? Y / N Desc	ribe:				
Is spill still occurring?			If so, at what	rate?	
Other:					
OTHER CONTACTS INITIAL CALLER H	AS MADE ANI	D/OR COMMENTS	S		
Contacts:					
Comments:					
ACTUAL AND POTENTIAL IMPACT AS	SESSMENT				
Public Injury			Actual	Potential	
Displacement			Actual	Potential	
Property / Crop Dan	nage		Actual	Potential	
Public Relations		_	Actual	Potential	
Employees Injuries			Actual	Potential	
Contractors Injuries			Actual	Potential	
Equipment Damage			_ Actual	Potential	
Environment Water Well Contami	nation		_ Actual	Potential	
Water Body Contam	ination		_ Actual	Potential	
Soil Contamination			_ Actual	Potential	
Vegetation Damage			_ Actual	Potential	
Visible Emissions / S	Smoke		_ Actual	Potential	
Odours / H2S			_ Actual	Potential	
Milk River Pipeline Assets			Buildings	Actua	
Potential					
Pipeline			_ Actual	Potential	
Equipment			_ Actual	Potential	
Vehicles			_ Actual	Potential	
Production			_ Actual	Potential	
Other: Describe					





INSTRUCTIONS TO BE GIVEN TO EXTERNAL CALLER(S) REPORTING A SPILL

Advise the *caller* to take the following precautions, depending on the nature of the emergency:

- Leave the leak area immediately in a cross-wind or upwind direction to avoid possible hazards of vapours and hydrogen sulfide.
- Keep a safe distance from the spill area.
- In a suspected vapour area, avoid creating any potential sources of ignition, sparks, or sources of heat which could cause liquids or vapours arising from them to ignite and burn. This includes such activities as striking matches, using lighters, activating switches, using cellular phones or attempting to operate any electrical or mechanical equipment.
- Do not attempt to move any equipment at the spill site.
- Warn others away from the spill area until company personnel or local authorities arrive at the spill site.




This page left intentionally blank



11.8 Monitoring Record

PREPARED BY:	DATE: (YY/MM/DD)

				WIND CO		
TIME	TOXIC READING (ppm)	LEL READING (ppm)	O ₂ READING (ppm)	FROM WHICH DIRECTION	SPEED (km/hr)	DESCRIPTION OF LOCATION OF READING






This page intentionally left blank.




11.9 Resident Data Record

PREPARED	DATE: (YY/MM/DD)	
BY:		
	_	

RESIDENT NAME	RESIDENCE NUMBER	NUMBER OF OCCUPANTS	TIME CALLED	SHELTER OR EVACUATIONMESSAGE (Specify)	ROVER CONTACT REQUIRED	ALTERNATE DESTINATION PHONE #	COMMENTS
		_					










11.10 Roadblock Record

PREPARED BY:	DATE: (YY/MM/DD)	
_	_	

TIME / DATE	NAME OF DRIVER	NUMBER OF PEOPLE	LICENSE PLATE NUMBER	PROVINCE	ENTERING PLANNING ZONE	LEAVING PLANNING ZONE	RESIDENT OF EPZ/EAZ (YES / NO)

11-25








11.11 Reception Centre Registration Form

PREPARED BY:	DATE: (YY/MM/DD)	

RESIDENT NAME	RESIDENCE NUMBER	NUMBER OF OCCUPANTS	NUMBER ARRIVED	ARRIVAL TIME	DEPARTURE TIME	DESTINATION PHONE #	COMMENTS








11.12 Resident Compensation Form

Date:										
Resident's Name:	Home Address:	Home Tel. #:	Location of Land (LSD):							
		Business Tel. #:								
Number of Residents Evacuated:	Address Evacuated To:	Telephone # While Evacuated:								

No	No.		Location	Transp.	Accom.	Meals	Phone	Sundry	TOTAL	Details of Expenses
No.	MM	DD	Location	mansp.	Accom.	Meais	1 Hone	Sulluly	IOIAL	Details of Expenses
TOTAL REPORTED EXPENSES										








11.13 Threatening Telephone Call Log


REDACTED






11.14 Site Safety Plan

Incident Name:	INCIDENT PART	TICULA	ARS									
Location:	Incident Name:						Date/ Ti	me:				
Product:												
Volume: Person Responsible: Internal/ External Notifications Yes No Person Responsible: SITE CHARACTERIZATION						T						
CS 201 Form Initiated:	Product:						SDS Av	ailable:	Yes [□ No		
Made: Yes No Responsible: SITE CHARACTERIZATION Other (please specify) IMPACTED ASSETS Other (ICS 201 Form In		☐ Yes ☐ No				sible:					
Land				☐ Yes	□ N	0						
MPACTED ASSETS	SITE CHARACTERIZATION											
Pipeline	Land			☐ Wa	Othe	r (pleas	e specify)					
WEATHER Clear												
WEATHER Clear Cloudy Fog Calm (0.5 km/ hr; 0.3 mi./ hr) Light (5-15 km/ hr; 3-10 mi./ hr) Moderate (15-30 km/ hr; 10-20 mi./ hr) Snow Lightning Strong (30+ km/ hr; 20+ mi./ hr) SITE SECURITY & ACCESS POINTS Description: SITE HAZARDS Fire/ Explosion Chemicals Motor Vehicles Boat Operations Steam/ Hot Weather WIND Calm (0.5 km/ hr; 0.3 mi./ hr) Light (5-15 km/ hr; 3-10 mi./ hr) Strong (30+ km/ hr; 20+ mi./ hr) Strong (30+ km/ hr; 20+ mi./ hr) Slips, Trips, and Falls Restricted Work Area Heavy Lifting Drum	☐ Pipeline ☐ Storage Facility						☐ MVA					
□ Rain □ Freezing Rain □ Hail □ Light (5-15 km/ hr; 3-10 mi./ hr) □ Snow □ Lightning □ Strong (30+ km/ hr; 20+ mi./ hr) □ SITE SECURITY & ACCESS POINTS □ Strong (30+ km/ hr; 20+ mi./ hr) □ Description: □ Slips, Trips, and Falls □ Chemicals □ Motor Vehicles □ Confined Spaces □ Heat Stress □ Restricted Work Area □ Electrical □ Boat Operations □ UV Radiation □ Cold Stress □ Heavy Lifting □ Steam/ Hot □ Helicopter □ Overhead/ □ Weather □ Drum	WEATHER			WIND								
Rain	☐ Clear	☐ CI	☐ Cloudy ☐ Foo				☐ Calm	(0.5 km	n/ hr; 0.3 mi	i./ hr)		
Moderate (15-30 km/ hr; 10-20 mi./ hr) Snow	Rain		eezing		Hail		Light	(5-15 k	m/ hr; 3-10	mi./ hr)		
SITE SECURITY & ACCESS POINTS Description: SITE HAZARDS		Rain					☐ Mode	erate (15	5-30 km/ hr	; 10-20 mi./ hr)		
Description: SITE HAZARDS SITE HAZARDS SITE HAZARDS Gerations Gera	Snow	Lig	ghtning				Strong (30+ km/ hr;			0+ mi./ hr)		
Description: SITE HAZARDS SITE HAZARDS SITE HAZARDS Gerations Gera	SITE SECURITY	/ & AC	CESS P	OINTS								
☐ Fire/ Explosion ☐ Equipment Operations ☐ Trenching/ Excavation ☐ Fatigue ☐ Trips, and Falls ☐ Chemicals ☐ Motor Vehicles ☐ Confined Spaces ☐ Heat Stress ☐ Restricted Work Area ☐ Boat Operations ☐ UV Radiation ☐ Cold Stress ☐ Heavy Lifting ☐ Steam/ Hot ☐ Helicopter ☐ Overhead/ ☐ Weather												
☐ Fire/ Explosion ☐ Equipment Operations ☐ Trenching/ Excavation ☐ Fatigue ☐ Trips, and Falls ☐ Chemicals ☐ Motor Vehicles ☐ Confined Spaces ☐ Heat Stress ☐ Restricted Work Area ☐ Boat Operations ☐ UV Radiation ☐ Cold Stress ☐ Heavy Lifting ☐ Steam/ Hot ☐ Helicopter ☐ Overhead/ ☐ Weather												
☐ Fire/ Explosion ☐ Derations ☐ Trenching/Excavation ☐ Fatigue Trips, and Falls ☐ Chemicals ☐ Motor Vehicles ☐ Confined Spaces ☐ Heat Stress ☐ Restricted Work Area ☐ Boat Operations ☐ UV Radiation ☐ Cold Stress ☐ Heavy Lifting ☐ Steam/ Hot ☐ Helicopter ☐ Overhead/ ☐ Weather	SITE HAZARDS											
☐ Electrical ☐ Boat ☐ UV Radiation ☐ Cold Stress ☐ Heat Stress ☐ Work Area ☐ Heavy ☐ Lifting ☐ Drum	·	on O	Operations			avation				Trips, and Falls		
Operations Steam/ Hot Operations Operations Overhead/ Neather Operations Iffling Drum	☐ Chemicals		_	Vehicles			_	∐ He	at Stress	Work Area		
Steam/ Hot Helicopter Drum	Electrical —		s		UV Rad	iation	☐ Co	old Stress				
	Steam/ Hot Helid		Helico	opter 🔲				l □ We	eather	☐ Drum		
water Operations Buried Utilities — Handling — Handling — Plants/	I									I —		
Noise Operations Hoses Visibility Wildlife Other:		O				•			sibility	Wildlife		





ATMOS	ATMOSPHERIC MONITORING – INITIAL READING									
O ₂	%	LEL	%		Other (specify):					
02	/6		/0		Other (specify).					
H ₂ S	ppm	Benzen	gg	m						
		е	1.1							
				·-						
NOTE:	Additional resu	ılts to be re	corded in	'Eve	nt/ Safety Watch Log'					
CONTR	ROL MEASURE	ES		SITE	E SETUP					
_	rce of Release	Secured			nmunications Established		Yes		No	
	Secured				k Zones Established		Yes		No	
	ve(s) Closed		_		Extinguisher Accessible	Ц	Yes	Щ	No	
	ergy Sources L	ocked/ Tag	ged		ontamination Stations	Ш	Yes	Ш	No	
Out	ility Chyst Days				ablished	$\overline{}$	Vaa	$\overline{}$	No	
	cility Shut Down	1			Aid Stations Established	님	Yes	<u> </u>	No	
☐ Oth	EI				nination Equipment Provided lical Surveillance Provided	+	Yes Yes	<u>Ш</u> П	No No	
					itation Facilities Provided	H	Yes	<u>Ш</u>	No	
GENERAL SITE REQUIREMENTS									140	
Personnel entering the site must Sign-in at the Field Command Post or designated area, and										
,	must Sign-out before leaving the site.									
2)	Personnel ente	ering the sit	e for the f	irst ti	me must attend a Pre-Entry Bri	efi	ng at t	he	Field	
			•	•	itted site entry. The briefing will	СО	ver the	S	ite Health	
	and Safety Pla	in and the s	ite specifi	ic haz	zards present.					
0)	-	"N. O	,,		0 '' '' '' '' '' ''					
					 Security at the Field Comman 	d F	ost wi	II g	live	
	directions to th	ie designate	ea Smoki	ing A	rea .					
4)	Cameras and	other electr	onic devic	`es a	re not permitted on the Site unle	22	annrov	/al	has been	
	given by the H					.00	аррго	<i>i</i> ai	nas been	
	g.vo 5,o	ounin unu o	aloty Dop	<i>-</i>						
5)	All Injuries or U	Jnsafe Activ	vities/ Cor	nditio	ns shall be immediately reported	d to	the W	or	k Leader or	
	the Safety Wat				, .					
	-									
					megaphone (unless otherwise a		ised) -	- a	ll personnel	
	must immediat	tely leave th	ne area ar	nd rep	port to the Field Command Post	•				
7)										
	7) The site will be divided into work zones with access control points. As a minimum, personnel									
	will always work in pairs. Personnel must follow decontamination procedures when exiting the work zones.									
		M IS MAND	ATORY F	OR	EVERYONE ON SITE					
	THE BUDDY SYSTEM IS MANDATORY FOR EVERYONE ON SITE									
HEALT	H & SAFETY	BRIEFINGS	S/ MEETIN	NGS						





- 1. All personnel, employees, contractors, and subcontractors shall be provided with an initial site safety briefing to communicate the nature, level and degree of hazards expected on site.
- 2. Personnel will also receive regular briefings before and after each shift, before making a hot zone level entry, or when significant changes are made in the work procedures or safety plans. These site safety meetings/ briefings shall be held by the on-scene commander or safety watch. At a minimum these meeting will describe the work to be accomplished, discuss safety procedure changes, and note any items which need to be passed to other crews. General safety training topics should also be covered based on points raised in previous meetings and the site health and safety plan attachments.

The Tailgate Meeting Form should be utilized for this purpose.											
LOCAL	LOCAL SOURCES OF ASSISTANCE										
General: When calling emergency responders provide the following information to the responding											
agency:											
(see Emergency Numbers for Ambulance, Fire and Police) Type of Emergency:											
Type of Emergency.											
Incident	t Locati	on a	and (directio	ns to incident):							
Ambula e	nc Na	am			Telephone:						
Fire Dep	pt. Na	am		Telephone:							
Police Dept.	Na e:	am		Telephone:							
Hospita	Na e:	am			Telephone:						
Directions To Hospital: Travel Time:											
PRODU		ORN	MATION								
Hazardous Material (Known or Suspected): The following are the products that could be expected to be in the vicinity of the incident. (Obtain copies of SDS)											
Materi al:				SDS Number:			Quantity :				
Materi al:				SDS Number:			Quantity :				
Toxicolo	nical Ha	azar	de.								



						Milk River Pipelii	ne Ltd. ERP				
	alation										
	estion										
Ski						1					
Substa ce:	ın	PEI	_/ TLV:			IDLH:					
Substa	ın	PFI	_/ TLV:			IDLH:					
ce:											
Substa ce:	ın	PEI	_/ TLV:			IDLH:					
	weather condition	ns that may affe	ct Incident Site	9 :							
	PERSONNEL PROTECTION REQUIREMENTS										
PERSO	ONNEL PROTEC	TION REQUIRE	MENTS								
Job As	signment/ Task		Cold Zone		Warm 2	Zone	Hot Zone				
Genera	al Labour on Land	d									
	al Labour on Wate										
Equipn	nent Operator										
	uck Operator/ Cre										
Site As	sessment/ Invest	tigation									
	Deployment/ Mai	ntenance									
Welder											
	ion/ Coating										
	e Hazing										
	tamination Worke										
	Nater Surveilland	e									
Superv	risory Personnel										
Select the appropriate level of PPE for each of the applicable Job Assignment/ Tasks from the following list, as well as, any additional PPE that is required. (eg. Level C, 7 and 11).											
PPE R	EQUIREMENTS										
Level	Level B	Level C	Level D	Additiona	I PPE						
Α											
	SCBA (or Air	Full/ Half face	Flame	1. Hard ha	t	10.High Vis	19.SABA/				
	Line with	air purifying	Resistant			vests	air lines				
	escape back)	respirator	or normal				w/Esc				
			work	2.FR Cloth	ning	11. PFD's	20.SCBA				
			clothing	J			to be worn				




 			_	wilk Kiver i ipeline	
			3. Steel toes	12.Safety Harness	22.SCBA to be
Flame Resistant or Coated Tyvex	Flame Resistant or Coated Tyvex	Eye & face protection	4.Safety Glasses 5.Face Shield	13.FR rain gear14.LeatherGloves	avail. #_ 23.Air Purifying (full mask)
Chemical resistant steel toe boots	Chemical resistant steel toe boots	Protective footwear	6.Tinted Lens 7.Splash Goggles	15.Nitrile gloves 16.Rubber Gloves	24. Air Purifying (half mask)
Chemical resistant gloves	Chemical resistant or leather gloves Eye protection	Gloves	8.Chemical resistant clothing 9.Rubber boots	17.Hearing Protection 18. FR Tyvek	25.Cartrid ge Type OV 26.Cartrid ge Type P(M) – 100
	Hard hat				27.Cartrid ge Type P(M)- 100/ OV

WORK ZONES


Control boundaries have been established in the site safety map below according to the following guidelines:

- The **HOT ZONE**, or **EXCLUSION ZONE**, is the area where contamination or product hazards are expected.
- The WARM ZONE, or CONTAMINATION REDUCTION ZONE, is a transition area between the HOT ZONE and the COLD ZONE. It is the area where DECONTAMINATION is conducted for personnel and equipment leaving the HOT ZONE.
- The **COLD ZONE**, or **SUPPORT ZONE**, is an area adjacent to the **WARM ZONE** that is intended to remain safe and as free of contamination as possible.





SITE DIAGRAM								
☐ See Site diagram or Site Map from ICS for	m 201.							
GENERAL DIAGRAM INSTRUCTIONS								
 Site Diagram should include the following: Sketch with major feature locations (buildings, drainage paths, roads, etc.) Hazardous substance location Work zones (exclusion, contamination reduction, support) Command center and decontamination area Access and access restrictions 	f. Routes of entry g. Wind direction h. Emergency evacuation routes i. Assembly points j. First aid locations k. Communication system							






CONTINGENCY PLANS								
In the event of an emergency (at this incident site) the person first noticing the emergency is to notify other workers in the immediate area. Evacuation must commence at once if the emergency poses any threat to the safety of the workers. Upon receiving notification of an emergency, the individual in charge of the work area is to take appropriate measures to protect human life, the environment (including wildlife) and property.								
Escape Routes:								
•								
Evacuation Procedures								
Alerting Methods:								
Alei tilly Wiethous.								
Muster Point:								
MEDICAL SURVEILLANG	CF.							
Special medical monito								
opeoiai medicai monito	ing required.							
Urinary/ Phenol:	Blood Test:	Chest X-ray:	Other:					
Procedure:								
Cocility to perform we sel	and tooting/ maniforings /as	ama 9 la action						
racility to perform med	cal testing/ monitoring: (na							



INCLUDED ATTACHMENTS:							
Amendment form							
Tailgate meeting form							
☐ Bites, stings & poisonous plant;							
☐ Boat operation;							
☐ Thermal Stress (Cold & Hypothermia);							
☐ Confined Space Entry;							
Cranes & mechanical lifting equipment;							
☐ Manual lifting;							
Organic solvents;							
Hydrogen sulfide;							
Helicopter safety;							
PPE;							
Sanitation requirement;							
Traffic safety guidelines;							
Action levels;							
SDS							
Medical Monitoring Form							
Note : Air Monitoring Results, and Hot Zone Personnel Tracking is to be documented in the Emergency							
Response/ Safety Watch Log							
response, early reason bog							
PLAN PREPARATION							
Prepared Date: Time:							
by:							
Signature:							
Prepared Date: Time:							
by: Signature:							
ALL RESPONSE PERSONNEL ARE TO REVIEW THE SITE HEALTH & SAFETY PLAN							
AMENDMENTS TO SITE SPECIFIC HEALTH & SAFETY PLAN							






This Site Health and Safety Plan is based on information available at the time of preparation. Unexpected conditions may arise which necessitate changes to this plan. It is important that personal protective measures be thoroughly assessed prior to and during the planned activities. Unplanned activities and/ or changes in the hazard status should initiate a review of major changes in this plan.

Changes in the hazard status or unplanned activities are to be submitted on "Amendments to Site Health and Safety Plan" which is included as Page ____ of this plan.

Amendments must be approved by the Safety Officer prior to implementation of amendment.								
	umentation and records must NOT be discarded after ocumentation (Planning Section) for records retention.	their use.	Documents are to be					
AMENDMENT	S TO SITE HEALTH & SAFETY PLAN							
Changes in fi	eld activities or hazards:							
Proposed Am	endment:							
Drawasad		T						
Proposed By:		Date:						
Approved								
By:		Date:						
Amendment			•					
Number		_	T					
Amendment								
Effective		Time:						
Date								






TAILGATE MEETING MINUTES

Location:	_	MM DD YYYY	Tim	HH MM						
	Date		е							
Description of work to be performed:										
HAZARD IDENTIFICATION AND	SAFETY DISCUSSION (Chec	k and	discuss all relev	ant ha	zards <i>)</i>					
☐ Flammables/ Combustibles/ Explosives	Overhead Work/ Suspen Chains/ Slings	ded Lo	ads/	Noise	Levels					
☐ Trapped or Stored Pressure/ Energy		☐ Wall surfaces	king/ wo	orking						
☐ Hazardous/ Toxic Substances		Insect bites/ bird droppings								
☐ Pinch Points/ Moving/ Rotating Equipment	Radiation	☐ Sharp Edges								
☐ Electrical Current	Extreme Heat/ Cold		Animals							
☐ Traffic	☐ Exertion/ Heavy Lifting		Other							
☐ Working in awkward positions	☐ Weather (ice, snow, rain))	☐ Other							
REQUIRED HAZARD CONTROLS	Check applicable)									
☐ Gas Detection (Available & Calibrated)	☐ Signage and/ or Barricad Provided	les	Emergency Retrieval Equipment							
☐ Mechanical & Electrical Lockout Complete	☐ Traffic Control		☐ Full Body Harness w/ "D" Ring							
☐ Safety Watch	ng in	Life Lines & Lanyards								
☐ Proper Ventilation	ed	ed 🔲 2 Way Radios								
☐ Piping/ Vessel Isolated		Other								
☐ Trained/ Cert. Personnel	- Other									
Available	Explosion Proof)		_							
REQUIRED PERSONAL PROTEC	TIVE EQUIPMENT (Check ap	plicabl	e)							



General	Other			Respiratory					
☐ Hard Hat	☐ Face Shield	Rubber Lea		SABA/ Air Line					
☐ FR Clothing	☐ Tinted Lens	☐ High Vis. Vests	☐ Nitrile gloves	☐ SCBA to be worn	☐ Cartridge Typ ☐OV				
☐ Steel toes	☐ Impact Goggles	☐ PFD's	Rubber gloves	SCBA to be avail. #	☐ Cartridge Typ P-100				
☐ Safety Glasses	Chemical Res. Clothing	☐ Safety ☐ Ear Harness Protection		☐ Air Purifying (full mask) ☐ Air Purifying	Cartridge Typ P-100/ OV				
				(half mask)					
ADDITIONAL T	OPICS/ HAZAR	DS & HAZARD	CONTROLS - ic	dentified and discussed					
EMERGENCY F	REPARATION								
☐ ERP ☐ I	Muster as	Communicatio	n Equipment	☐ Means of Egress	☐ Emergency Equipment				
☐ Designated	First Aid Attenda	ınt:		First Aid equipment available	nt Other				
JOB INTERRUP	PTION								
Were additional hazards identified during the work?									
If yes, list them here:									
Additional Comments:									
Meeting Facilitator:									






TAILGATE MEETING MINUTES

Name	Company
1.	
2.	
3.	
4.	
5.	
6.	
7.	
8.	
9.	
10.	
11.	
12.	
13.	
14.	
15.	
16.	
17.	
18.	
19.	
20.	
21.	



11.15 Evacuation Data sheet

Location				Date				Signature		
Resident Name	Resident Telephone	No. of Occupants		Time Called	Given Advisory (A) or Evacuation (E) Message?		Depart for Evacuation Centre	Comments		
				:						
				:						
				:						
				:						
				:						
				:						
				:						
				:						
				:						
				:						
				:						
				:						
				:						
				:						
				:						








11.16 Personnel and Equipment Log

Incident Name	Date		
Personnel / Equipment	Time Deployed	Time Stood Down	Location/ Assignment








11.17 Internal Vehicle Accident Report

	inte	rpi	pelir	ne	Moto	r Vehi	cle Ind	ident	Repo	rt Form	1	F 230.102
Instru	Instructions: Uscument as much information at the scene as possible on this form and submit it within 24 hours.											
First Steps Get to a safe place Check for injuries Administer First AdCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC					or every	thing.	Get asTake PWhen t	While Still At the Scene • Get as much information as possible on this repor • Take Pictures • When the police come, cooperate and tell them whyou know.				
L .	ntors name:									Unit#:		Date and Time of Accident
Ma	JRIES		*****			□ Ye		□ No		46		
THE	INCIDE	NT	Sequence i	events In d	in vestgare chronologica cluded base	al order, le	eading up	to and inc	ns. Desc cluding t	nne vinat vine ne collision an	ere, winen id any da	n, viho, how accidentoccuired. iriage sustained. Pos⊁collision
Police	e report tak	en: 🗆 🕆	Yes□ No	Bac	lge#:			Police	e dept:		Repor	t number:
Diagr	3m											Draw a diagram of
nd	Cate north											the accident scene including roads and intersections, vehicles, direction of travel, any fixed objects (bollard, light poles, etc.)
			+	+								and pedestrians involved.
												Mark IPF Vehicle with an "A" and all others with "B,C," etc.
										-+		-
												Legend
	-11-	{!- {!-		+						- +		<u>Legeno</u> Direction →
				+								Vehicles ⊠ Fixed Objects •
												Pedestrians 🖷





EVENT AND CAUSE CHECKLIST	Vehicle: Struck other vehicle Struck by other vehicle Struck fixed object Struck by object Wildlife Other: Unknown Vehicle Movement: Backing Forward Stopped Parked	Weather C Sun Clou Rair Sno Fog Time of D: Day Day Dart Humina Vehicle He	ny udy ning wing gy ay: light k icial rtion		Surf: 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ditions: ace Dry Wet Muddy Snowy	Defects				
	Inappropriate Behaviors		IPF	Other		Name:					
	Cellular telephone use while of Driver under influence of alco	driving			ž.	Address:					
S	drugs	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		_	Witnesses	Home Phone	. 4.				
PRIMARY FACTORS	Unsafe speed Following too closely				Mitn						
FAC	Wrong side of road Improper passing		0000			Cell Phone #:					
8	Automobile right-of-way					Name:					
RIMA	Pedestrian right-of-way Traffic signals and signs								Witnesses #2	Address:	
۵.	Unsafe starting or backing Fell asleep	safe starting or backing	Insafe starting or backing 🔲 🔲			Home Phone	Home Phone #:				
	Other equipment Other				Wit	Cell Phone #	:				
	Uwners Name:					Uwners Nam	ne:				
ا ۔ ا	Uwners Address:] _	Uwners Address:					
Information	Uwners Phone:				Information	Uwners Phor	ne:				
Ĕ	unvers name:				Į	unvers Name					
life	Universia Address:					Univers Addre					
<u> </u>	Unvers Prione:				<u>8</u>	Diffvers Phone					
Vehicl	Venicle Make/ Model:				Other Vehiol	venicie ritake venicie reari					
Other)	> venicie reari color: - Lucense mate #:					License Hate					
ㅎ				ੇ ਲੋ	insurance cor						
Insurance Company Policy #:						Policy #:	- Fally				
One	rators signature:					,	Date				
"	ato o orginator c.										
Supervisors signature Date							Date				



11.18 Revision Request

Emergency Response Plan Revision Request Form					
Name of Requester		Date			
Reason for Revision					
Section #	Page #				
Existing Wording Requested Wording					
Troquosiou vvoiding					
For use by Administrator Only					
Revision Request Approved _	Denied	Date			
Comments:					
Name of Approver	Signature				





11.19 Evacuation Notice

EVACUATION NOTICE

Inter Pipeline has an emergency at its nearby location.

As a safety precaution, please leave the area in a (north/east/south/west) direction and proceed to the Reception Centre located at:

Inter Pipeline representatives will be available at the Reception Centre to address your questions or concerns.
For assistance, call Inter Pipeline at
Thank you for your cooperation
Thank you for your cooperation.



This page left intentionally blank.



11.20 Evacuation Phone Message

Before calling, determine a safe evacuation route for the residents to travel, away from the emergency hazard area, upwind if possible, towards the reception centre.

Halla th	is is(your name) _		of	(company na	mal
					phone number)?
					n)in your area.
					ce immediately and travel in
	one) north, east, south			•	-
a (circic c	one, north, cast, south	, west an ection to c	ar reception centil	2 10cated at	
To help u	ıs understand your imi	nediate needs, we r	need to know:		
	ny people are at your l				
	Adults				
	Children				
Is there a		old that you cannot	contact to inform t	hem of the situa	ition and advise them to
	away from the area?	•			
	☐ Yes	\square No			
IF YES	Whom?				
	Location of the perso	n(s)			
	We will send someo	ne to find them as so	oon as possible.		
Do you h	ave children in school	at this time?			
	□ Yes	\square No			
IF YES	What school?				
	Children's name(s)_				
					be directed to leave the area
	· ·			directed to the r	reception centre by their
	regular bus driver wh				
Do you re	equire evacuation/trar	sportation assistant	ce?		
	□ Yes	□ No			
IF YES	We are sending som	eone to assist you. P	lease stay indoors	and close all oor	rs and windows until a Rover
	or the local police ar	•			
IF NO	Provide the resident				
		to safely travel to th			
	-	_	•		ons, cell phone, ID, etc.)
	-	how long they may		•	
					e them to bring its crate)
					eception centre for any reason
	eep your phone line fr			ary.	
	an alternate number w				 _
	ny representative at th	·			
_	nents for your tempora	ry accomodations. [Do you understand	everything I hav	e told you? Are you
	mmediately?				
-		-	_(company name)_	a	t(telephone number)
Thank yo	u for your cooperatior				

(Pass on all information regarding this call to the Public Safety Group Supervisor immediately)



This page left intentionally blank.



11.21 Early Notification/Voluntary Evacuation Message

	O,		re evacuation routors rds the reception c	e for the residents to centre.	trave	, away from the 6	emergency hazard
Hello, th	nis is(yo	our name)		of	(co	mpany name)	·
Is this th	ne(r	name of re	sidence/business)	resident at _		(telephone n	number)?
(cc	ompany nan	ne)is	responding to a (p	potential) emergency	y at	(location)	in your area.
	_		ne. All efforts are b ith an early notifica	peing made to resolve	e the p	problem and this p	phone call is only to
To help	us understa	nd your im	mediate needs, w	e need to know:			
How ma	ny people a	re at your	location now?				
	Adults		_				
	Children		_				
Do you v			dence at this time?	?			
		Yes	\square No				
IF YES	Please tra	avel in a (<i>c</i>	ircle one) north, ea	st, south, west direc	tion to	our reception ce	ntre located at:
IF NO		=		ease do not use your to pdated information of			
If you ha	ave any urge	nt questio	ns or change your	mind, please contact	(cc	mpany name)	
at	(telep	ohone nun	nber)				
Thank yo	ou for your o	cooperatio	n.				

(Pass on all information regarding this call to the Public Safety Group Supervisor immediately)



This page left intentionally blank.



11.22 Shelter in-place phone message

			(company name)			
Is this the	(name)	resident at	(telephone number)	_?		
(cor	mpany name)is respondi	ng to a (potential) emergency	atin your area	ı.		
For your s	safety, it is extremely importan	t that you, and those with you	, stay indoors until the potential hazard			
no longer	r exists, or you are advised to ev	vacuate.				
To help u	s understand your immediate r	eeds, we need to know:				
How man	y people are at your location n	ow?				
	Adults					
	Children					
		ou cannot contact to inform the	nem of the situation and advise them to			
evacuate	away from the area?					
		No				
IF YES	Whom?			_		
	Location of the person(s)			_		
	We will send someone to find					
Do you ha	ave children in school at this tin	ne?				
		No				
IF YES	What school?			_		
	Children's name(s)					
			lren. Buses will be directed to leave the are	a		
	immediately. If school is in session, your children will be redirected to the reception centre by their					
	regular bus driver when the so	•				
Do you re	equire evacuation/transportation					
		No				
IF YES	_		and close all oors and windows until a Rove	r		
	or the local police arrive to ev	acuate you.				
IF NO	Provide the resident with:					
		travel to the reception centre				
		=	centre (medications, cell phone, ID, etc.)			
	=	they may be expected to stay				
			on centre (advise them to bring its crate)	_		
Do you ha			you by(company name)	_?		
		No				
IF YES			the resident information brochure			
IF NO	Verbally walk the resident thro	_	· –			
	eep your phone line free so that		•			
	nderstand what I have told you		□ No			
Is there an alternate number we can contact you at?						
-	ve any urgent questions, please	contact(company name)_	at(telephone number)	- ·		
Thank you	u for your cooperation.					

(Pass on all information regarding this call to the Public Safety Group Supervisor immediately)



Shelter-in-place Instructions:

Shelter-in-place is the use of a structure and its indoor atmosphere to temporarily separate individuals from a hazardous outdoor atmosphere. If asked to shelter-in-place:

- Immediately gather everyone indoors and stay there
- If convenient, tape or block the gaps around the exterior door frames but leaving open all inside doors
- Extinguish indoor wood burning fires and if possible, close flue dampers
- Turn off appliances or equipment that either:
 - o Blows out or uses indoor air, such as
- Bathroom and kitchen exhaust fans
- Built-in vacuum systems
- Clothes dryers
- Gas fireplaces and gas stoves
 - Sucks in outside air, such as:
- Heating, ventilation, and air conditioner (HVAC) systems for apartments, commercial or public facilities
- Fans for heat recovery ventilators or energy recovery ventilators (HVR/ERV)
- Turn down furnace thermostats to the minimum setting and turn off air conditioners
- Avoid using the telephone, except for emergencies, so that you can be contacted by company emergency response personnel
- Call Inter Pipeline's emergency number 1-800-727-7163 if:
 - You are experiencing symptoms or smelling sulphur odours (so we can address your concerns and adjust our response priorities)
 - You have contacted fire, police, or ambulance (so that we can coordinate our response)
- Stay tuned to local radio and television for information updates
- Even if you see people outside, do not leave until told it is safe to do so
- After the hazardous substance has passed through the area you will receive an "all-clear" message from the company emergency response personnel. You may also receive, if required, instructions to:
 - Ventilate your building by opening all windows and doors, turning on fans and turning up thermostats. During this time the air outside may be fresher, and you may choose to leave your building while ventilating.
 - Once the building is completely ventilated return all equipment to normal settings and operation
- When it is safe, you will receive and "all-clear" message from Inter Pipeline's emergency notification system

If you are unable to follow these instructions, please notify company emergency response personnel.



12.0 SECURITY PROCEDURES

REDACTED

13.0 MAPS

13.1 Milk River Terminal Map

REDACTED

13.2 System Map (Active lines)

REDACTED

13.3 System Map (Comprehensive)

REDACTED

13.4 Route Maps

REDACTED

13.5 Western Canadian Spill Services (WCSS) Co-op Maps

REDACTED

14.0 DRIVING DIRECTIONS/FACILITY ACCESS DESCRIPTIONS

REDACTED

15.0 CONTROL POINTS

REDACTED

16.0 LOCAL GOVERNMENT RESPONSE


REDACTED

16.1 AHS Oil and Gas Roles and Responsibilities

REDACTED

17.0 ENVIRONMENTAL EMERGENCIES PLANS

For more specific information on products regulated under Environment Canada's Environmental Emergencies Regulated Products, please see the stand-alone Milk River Environmental Emergency Plan. A hardcopy must be kept





at the registered site and another will be kept at the District office. The most up-to-date copy of the ERP is found **REDACTED**

Regulated products contained in the plan are:

- Butane
- Crude Oil